



***Van & Truck
Cargo Management***



H1-SERIES

2-3	Introduction		
18-19	Accessories	10	KUV body
12-15	Box Truck / Trailers	4-5	Mercedes Metris 2016-2023
8-9	Chevrolet Express 1996-on	8-9	Mercedes Sprinter 2002-2006
16-17	Conversion Van / Custom	6-7	Mercedes Sprinter 2007-on
8-9	Dodge RAM Van 1981-2007	11	Midsized Van
8-9	Ford Econoline 1992-2014	6-7	Nissan NV Cargo 2 012-2021
6-7	Ford Transit 2015-on	4-5	Nissan NV200 2014-2021
4-5	Ford Transit Connect 2008-2013	11	Pickup Topper & Cap
4-5	Ford Transit Connect 2014-on	6-7	RAM ProMaster 2013-on
8-9	GMC Savana 1996-on	4-5	RAM ProMaster City 2015-on
		11	Universal

H2.1-SERIES

20-21	Introduction		
38-40	Accessories	27, 31-33, 37	GMC Savana 1996-on
27, 31-33, 37	Chevrolet Express 1996-on	27, 31-37	Mercedes Sprinter 2007-on
27, 31-33, 37	Ford Econoline 1992-2014	27, 31-35	Nissan NV Cargo 2012-2021
27, 31-37	Ford Transit 2015-on	22-25	Nissan NV200 2012-2021
25	Ford Transit Connect 2008-2013	26-29, 33-35	RAM ProMaster 2013-on
22-25	Ford Transit Connect 2014-on	22-25	RAM ProMaster City 2015-on

H3-SERIES

41	Introduction		
46	Accessories	42-43	GMC Savana 1996-on
42-43	Chevrolet Express 1996-on	44-45	Mercedes Sprinter 2007-on
42-43	Dodge RAM Van 1981-2007	44-45	Nissan NV Cargo 2012-2021
42-43	Ford Econoline 1992-2014	44-45	RAM ProMaster 2013-on
44-45	Ford Transit 2015-on		

TABLE OF CONTENTS

J-SERIES

47	Introduction		
52	Accessories	48-51	Nissan NV200 2012-2021
48-51	Ford Transit Connect 2008-2013	48-49	Pickup Topper & Cap
48-51	Ford Transit Connect 2014-on	48-51	RAM ProMaster City 2015-on
48-51	Midsized Van	48-51	Universal

P-SERIES

53	Introduction		
58	Accessories	56	RAM Truck 2012-on (RamBox only)
54	Honda Ridgeline 2005-16	57	Universal
55	Honda Ridgeline 2017-on		

ACCESSORIES


59-61	Conduit Carrier	65	Roller
62	Angled Ladder	66-67	Shelving
63	Straight Ladder	68	Tracks
64	Ratchet Tie-Down		
		69	Policies





@kyle.climaco

Location: Brooklyn Bridge, NY



H1-SERIES

Our H1 Rack System offers a fast, simple, and rugged solution to your cargo needs. Designed to mount on any van, this system can be mounted using the van's OEM mounting holes (if available), on a van's drip-rails with our H1 Clamps, or on any flat surface by drilling universal holes. The H1 fits all wheelbases, and transforms any roof into a loading area with a load capacity of 250 lbs. (evenly distributed) per bar. Included with the H1 is a ladder guide and stopper to ensure proper ladder and cargo retention. The H1 system is available in steel, as well as aluminum - in black or white.

STEEL SYSTEM

- Heavy duty grade
- Galvanized
- Economical

ALUMINUM SYSTEM


- Rust free
- Stainless hardware
- Lightweight





ADD A "R" ROLLER
 example:
H1613WR

WHAT'S IN THE BOX?



*Vehicle specific width



2 BAR SYSTEM

- Includes:**
- 2X Cross Bar
 - 4X Mounts
 - 1X Hook & Loop Strap
 - 1X Ladder Stopper
 - 1X Ladder Guide
 - 2X Bar Guards
 - 1X Hardware



3 BAR SYSTEM

- Includes:**
- 3X Cross Bar
 - 6X Mounts
 - 2X Hook & Loop Strap
 - 2X Ladder Stopper
 - 2X Ladder Guide
 - 3X Bar Guards
 - 1X Hardware




PART #	Color	Material	Description	Fitment	Install	Capacity
H2161B	Black	Steel	H1 2-Bar System	Ford Transit Connect 2008-2013 (All trims)	Bolt-On	500 lbs.
H2161W	White	Steel	H1 2-Bar System	Ford Transit Connect 2008-2013 (All trims)	Bolt-On	500 lbs.
H2166B	Black	Steel	H1 2-Bar System Incl. R16 Tracks	Ford Transit Connect 2008-2013 (All trims)	Bolt-On	500 lbs.
H2166W	White	Steel	H1 2-Bar System Incl. R16 Tracks	Ford Transit Connect 2008-2013 (All trims)	Bolt-On	500 lbs.
H1702B	Black	Steel	H1 2-Bar System	Ford Transit Connect 2014-On (All trims)	Bolt-On	500 lbs.
H1702W	White	Steel	H1 2-Bar System	Ford Transit Connect 2014-On (All trims)	Bolt-On	500 lbs.
H1703B	Black	Steel	H1 3-Bar System	Ford Transit Connect 2014-On (All trims)	Bolt-On	750 lbs.
H1703W	White	Steel	H1 3-Bar System	Ford Transit Connect 2014-On (All trims)	Bolt-On	750 lbs.
H2162B	Black	Aluminum	H1 2-Bar System	Ford Transit Connect 2008-2013 (All trims)	Bolt-On	500 lbs.
H2162W	White	Aluminum	H1 2-Bar System	Ford Transit Connect 2008-2013 (All trims)	Bolt-On	500 lbs.
H2167B	Black	Aluminum	H1 2-Bar System Incl. R16 Tracks	Ford Transit Connect 2008-2013 (All trims)	Bolt-On	500 lbs.
H2167W	White	Aluminum	H1 2-Bar System Incl. R16 Tracks	Ford Transit Connect 2008-2013 (All trims)	Bolt-On	500 lbs.
H1712B	Black	Aluminum	H1 2-Bar System	Ford Transit Connect 2014-On (All trims)	Bolt-On	500 lbs.
H1712W	White	Aluminum	H1 2-Bar System	Ford Transit Connect 2014-On (All trims)	Bolt-On	500 lbs.
H1713B	Black	Aluminum	H1 3-Bar System	Ford Transit Connect 2014-On (All trims)	Bolt-On	750 lbs.
H1713W	White	Aluminum	H1 3-Bar System	Ford Transit Connect 2014-On (All trims)	Bolt-On	750 lbs.
H1392B	Black	Steel	H1 2-Bar System	Mercedes Metris 2016-2023 (All trims)	Bolt-On	500 lbs.
H1392W	White	Steel	H1 2-Bar System	Mercedes Metris 2016-2023 (All trims)	Bolt-On	500 lbs.
H1393B	Black	Steel	H1 3-Bar System	Mercedes Metris 2016-2023 (All trims)	Bolt-On	750 lbs.
H1393W	White	Steel	H1 3-Bar System	Mercedes Metris 2016-2023 (All trims)	Bolt-On	750 lbs.
H1372B	Black	Aluminum	H1 2-Bar System	Mercedes Metris 2016-2023 (All trims)	Bolt-On	500 lbs.
H1372W	White	Aluminum	H1 2-Bar System	Mercedes Metris 2016-2023 (All trims)	Bolt-On	500 lbs.
H1373B	Black	Aluminum	H1 3-Bar System	Mercedes Metris 2016-2023 (All trims)	Bolt-On	750 lbs.
H1373W	White	Aluminum	H1 3-Bar System	Mercedes Metris 2016-2023 (All trims)	Bolt-On	750 lbs.
H1602B	Black	Steel	H1 2-Bar System	Nissan NV200 2014-2021 (All trims)	Bolt-On	500 lbs.
H1602W	White	Steel	H1 2-Bar System	Nissan NV200 2014-2021 (All trims)	Bolt-On	500 lbs.
H1603B	Black	Steel	H1 3-Bar System	Nissan NV200 2014-2021 (All trims)	Bolt-On	750 lbs.
H1603W	White	Steel	H1 3-Bar System	Nissan NV200 2014-2021 (All trims)	Bolt-On	750 lbs.
H1612B	Black	Aluminum	H1 2-Bar System	Nissan NV200 2014-2021 (All trims)	Bolt-On	500 lbs.
H1612W	White	Aluminum	H1 2-Bar System	Nissan NV200 2014-2021 (All trims)	Bolt-On	500 lbs.
H1613B	Black	Aluminum	H1 3-Bar System	Nissan NV200 2014-2021 (All trims)	Bolt-On	750 lbs.
H1613W	White	Aluminum	H1 3-Bar System	Nissan NV200 2014-2021 (All trims)	Bolt-On	750 lbs.
H1347B	Black	Steel	H1 2-Bar System	RAM ProMaster City 2015-On (All trims)	Bolt-On	500 lbs.
H1347W	White	Steel	H1 2-Bar System	RAM ProMaster City 2015-On (All trims)	Bolt-On	500 lbs.
H1348B	Black	Steel	H1 3-Bar System	RAM ProMaster City 2015-On (All trims)	Bolt-On	750 lbs.
H1348W	White	Steel	H1 3-Bar System	RAM ProMaster City 2015-On (All trims)	Bolt-On	750 lbs.
H1357B	Black	Aluminum	H1 2-Bar System	RAM ProMaster City 2015-On (All trims)	Bolt-On	500 lbs.
H1357W	White	Aluminum	H1 2-Bar System	RAM ProMaster City 2015-On (All trims)	Bolt-On	500 lbs.
H1358B	Black	Aluminum	H1 3-Bar System	RAM ProMaster City 2015-On (All trims)	Bolt-On	750 lbs.
H1358W	White	Aluminum	H1 3-Bar System	RAM ProMaster City 2015-On (All trims)	Bolt-On	750 lbs.

Include roller to my order. Add "R" to the end of the part #.



WHAT'S IN THE BOX?



*Vehicle specific width



2 BAR SYSTEM

Includes:

- 2X Cross Bar
- 4X Mounts
- 1X Hook & Loop Strap
- 1X Ladder Stopper

- 1X Ladder Guide
- 2X Bar Guards
- 1X Hardware



3 BAR SYSTEM

Includes:

- 3X Cross Bar
- 6X Mounts
- 2X Hook & Loop Strap
- 2X Ladder Stopper

- 2X Ladder Guide
- 3X Bar Guards
- 1X Hardware



ADD A **R**OLLER
H2666WR


PART #	Color	Material	Description	Fitment	Install	Capacity
H1722B	Black	Steel	H1 2-Bar System	Ford Transit 2015-On (All trims)	Bolt-On	500 lbs.
H1722W	White	Steel	H1 2-Bar System	Ford Transit 2015-On (All trims)	Bolt-On	500 lbs.
H1723B	Black	Steel	H1 3-Bar System	Ford Transit 2015-On (All trims)	Bolt-On	750 lbs.
H1723W	White	Steel	H1 3-Bar System	Ford Transit 2015-On (All trims)	Bolt-On	750 lbs.
H1752B	Black	Aluminum	H1 2-Bar System	Ford Transit 2015-On (All trims)	Bolt-On	500 lbs.
H1752W	White	Aluminum	H1 2-Bar System	Ford Transit 2015-On (All trims)	Bolt-On	500 lbs.
H1753B	Black	Aluminum	H1 3-Bar System	Ford Transit 2015-On (All trims)	Bolt-On	750 lbs.
H1753W	White	Aluminum	H1 3-Bar System	Ford Transit 2015-On (All trims)	Bolt-On	750 lbs.
H2651B	Black	Steel	H1 2-Bar System	Mercedes Sprinter 2007-On (Low Roof) All trims	Tracks Required*	500 lbs.
H2651W	White	Steel	H1 2-Bar System	Mercedes Sprinter 2007-On (Low Roof) All trims	Tracks Required*	500 lbs.
H2652B	Black	Steel	H1 3-Bar System	Mercedes Sprinter 2007-On (Low Roof) All trims	Tracks Required*	750 lbs.
H2652W	White	Steel	H1 3-Bar System	Mercedes Sprinter 2007-On (Low Roof) All trims	Tracks Required*	750 lbs.
H2667B	Black	Steel	H1 2-Bar System	Mercedes Sprinter 2007-On (High Roof) All trims	Tracks Required*	500 lbs.
H2667W	White	Steel	H1 2-Bar System	Mercedes Sprinter 2007-On (High Roof) All trims	Tracks Required*	500 lbs.
H2668B	Black	Steel	H1 3-Bar System	Mercedes Sprinter 2007-On (High Roof) All trims	Tracks Required*	750 lbs.
H2668W	White	Steel	H1 3-Bar System	Mercedes Sprinter 2007-On (High Roof) All trims	Tracks Required*	750 lbs.
H2641B	Black	Aluminum	H1 2-Bar System	Mercedes Sprinter 2007-On (Low Roof) All trims	Tracks Required*	500 lbs.
H2641W	White	Aluminum	H1 2-Bar System	Mercedes Sprinter 2007-On (Low Roof) All trims	Tracks Required*	500 lbs.
H2642B	Black	Aluminum	H1 3-Bar System	Mercedes Sprinter 2007-On (Low Roof) All trims	Tracks Required*	750 lbs.
H2642W	White	Aluminum	H1 3-Bar System	Mercedes Sprinter 2007-On (Low Roof) All trims	Tracks Required*	750 lbs.
H2665B	Black	Aluminum	H1 2-Bar System	Mercedes Sprinter 2007-On (High Roof) All trims	Tracks Required*	500 lbs.
H2665W	White	Aluminum	H1 2-Bar System	Mercedes Sprinter 2007-On (High Roof) All trims	Tracks Required*	500 lbs.
H2666B	Black	Aluminum	H1 3-Bar System	Mercedes Sprinter 2007-On (High Roof) All trims	Tracks Required*	750 lbs.
H2666W	White	Aluminum	H1 3-Bar System	Mercedes Sprinter 2007-On (High Roof) All trims	Tracks Required*	750 lbs.
H1302B	Black	Steel	H1 2-Bar System	Nissan NV Cargo 2012-2021 (All trims)	Bolt-On	500 lbs.
H1302W	White	Steel	H1 2-Bar System	Nissan NV Cargo 2012-2021 (All trims)	Bolt-On	500 lbs.
H1303B	Black	Steel	H1 3-Bar System	Nissan NV Cargo 2012-2021 (All trims)	Bolt-On	750 lbs.
H1303W	White	Steel	H1 3-Bar System	Nissan NV Cargo 2012-2021 (All trims)	Bolt-On	750 lbs.
H1312B	Black	Aluminum	H1 2-Bar System	Nissan NV Cargo 2012-2021 (All trims)	Bolt-On	500 lbs.
H1312W	White	Aluminum	H1 2-Bar System	Nissan NV Cargo 2012-2021 (All trims)	Bolt-On	500 lbs.
H1313B	Black	Aluminum	H1 3-Bar System	Nissan NV Cargo 2012-2021 (All trims)	Bolt-On	750 lbs.
H1313W	White	Aluminum	H1 3-Bar System	Nissan NV Cargo 2012-2021 (All trims)	Bolt-On	750 lbs.
H1342B	Black	Steel	H1 2-Bar System	RAM ProMaster 2013-On (All trims)	Bolt-On	500 lbs.
H1342W	White	Steel	H1 2-Bar System	RAM ProMaster 2013-On (All trims)	Bolt-On	500 lbs.
H1343B	Black	Steel	H1 3-Bar System	RAM ProMaster 2013-On (All trims)	Bolt-On	750 lbs.
H1343W	White	Steel	H1 3-Bar System	RAM ProMaster 2013-On (All trims)	Bolt-On	750 lbs.
H1352B	Black	Aluminum	H1 2-Bar System	RAM ProMaster 2013-On (All trims)	Bolt-On	500 lbs.
H1352W	White	Aluminum	H1 2-Bar System	RAM ProMaster 2013-On (All trims)	Bolt-On	500 lbs.
H1353B	Black	Aluminum	H1 3-Bar System	RAM ProMaster 2013-On (All trims)	Bolt-On	750 lbs.
H1353W	White	Aluminum	H1 3-Bar System	RAM ProMaster 2013-On (All trims)	Bolt-On	750 lbs.

Include roller to my order. Add "R" to the end of the part #.

*Tracks required. See page 68.



WHAT'S IN THE BOX?



*Vehicle specific width



2 BAR SYSTEM

- Includes:**
- 2X Cross Bar
 - 4X Mounts
 - 4X Drip Rail Clamps
 - 1X Hook & Loop Strap
 - 1X Ladder Stopper
 - 1X Ladder Guide
 - 2X Bar Guards
 - 1X Hardware



3 BAR SYSTEM

- Includes:**
- 3X Cross Bar
 - 6X Mounts
 - 6X Drip Rail Clamps
 - 2X Hook & Loop Strap
 - 2X Ladder Stopper
 - 2X Ladder Guide
 - 3X Bar Guards
 - 1X Hardware



ADD A **R**OLLER
 example:
H3023WR

PART #	Color	Material	Description	Fitment	Install	Capacity
H1022B	Black	Steel	H1 2-Bar System	Chevrolet Express 1996-On (All trims)	Clamp-On	500 lbs.
H1022W	White	Steel	H1 2-Bar System	Chevrolet Express 1996-On (All trims)	Clamp-On	500 lbs.
H1023B	Black	Steel	H1 3-Bar System	Chevrolet Express 1996-On (All trims)	Clamp-On	750 lbs.
H1023W	White	Steel	H1 3-Bar System	Chevrolet Express 1996-On (All trims)	Clamp-On	750 lbs.
H3022B	Black	Aluminum	H1 2-Bar System	Chevrolet Express 1996-On (All trims)	Clamp-On	500 lbs.
H3022W	White	Aluminum	H1 2-Bar System	Chevrolet Express 1996-On (All trims)	Clamp-On	500 lbs.
H3023B	Black	Aluminum	H1 3-Bar System	Chevrolet Express 1996-On (All trims)	Clamp-On	750 lbs.
H3023W	White	Aluminum	H1 3-Bar System	Chevrolet Express 1996-On (All trims)	Clamp-On	750 lbs.
H1062B	Black	Steel	H1 2-Bar System	Dodge RAM Van 1981-2007 (All trims)	Clamp-On	500 lbs.
H1062W	White	Steel	H1 2-Bar System	Dodge RAM Van 1981-2007 (All trims)	Clamp-On	500 lbs.
H1063B	Black	Steel	H1 3-Bar System	Dodge RAM Van 1981-2007 (All trims)	Clamp-On	750 lbs.
H1063W	White	Steel	H1 3-Bar System	Dodge RAM Van 1981-2007 (All trims)	Clamp-On	750 lbs.
H3062B	Black	Aluminum	H1 2-Bar System	Dodge RAM Van 1981-2007 (All trims)	Clamp-On	500 lbs.
H3062W	White	Aluminum	H1 2-Bar System	Dodge RAM Van 1981-2007 (All trims)	Clamp-On	500 lbs.
H3063B	Black	Aluminum	H1 3-Bar System	Dodge RAM Van 1981-2007 (All trims)	Clamp-On	750 lbs.
H3063W	White	Aluminum	H1 3-Bar System	Dodge RAM Van 1981-2007 (All trims)	Clamp-On	750 lbs.
H1082B	Black	Steel	H1 2-Bar System	Ford Econoline 1992-2014 (All trims)	Clamp-On	500 lbs.
H1082W	White	Steel	H1 2-Bar System	Ford Econoline 1992-2014 (All trims)	Clamp-On	500 lbs.
H1083B	Black	Steel	H1 3-Bar System	Ford Econoline 1992-2014 (All trims)	Clamp-On	750 lbs.
H1083W	White	Steel	H1 3-Bar System	Ford Econoline 1992-2014 (All trims)	Clamp-On	750 lbs.
H3082B	Black	Aluminum	H1 2-Bar System	Ford Econoline 1992-2014 (All trims)	Clamp-On	500 lbs.
H3082W	White	Aluminum	H1 2-Bar System	Ford Econoline 1992-2014 (All trims)	Clamp-On	500 lbs.
H3083B	Black	Aluminum	H1 3-Bar System	Ford Econoline 1992-2014 (All trims)	Clamp-On	750 lbs.
H3083W	White	Aluminum	H1 3-Bar System	Ford Econoline 1992-2014 (All trims)	Clamp-On	750 lbs.
H1052B	Black	Steel	H1 2-Bar System	GMC Savana 1996-On (All trims)	Clamp-On	500 lbs.
H1052W	White	Steel	H1 2-Bar System	GMC Savana 1996-On (All trims)	Clamp-On	500 lbs.
H1053B	Black	Steel	H1 3-Bar System	GMC Savana 1996-On (All trims)	Clamp-On	750 lbs.
H1053W	White	Steel	H1 3-Bar System	GMC Savana 1996-On (All trims)	Clamp-On	750 lbs.
H3052B	Black	Aluminum	H1 2-Bar System	GMC Savana 1996-On (All trims)	Clamp-On	500 lbs.
H3052W	White	Aluminum	H1 2-Bar System	GMC Savana 1996-On (All trims)	Clamp-On	500 lbs.
H3053B	Black	Aluminum	H1 3-Bar System	GMC Savana 1996-On (All trims)	Clamp-On	750 lbs.
H3053W	White	Aluminum	H1 3-Bar System	GMC Savana 1996-On (All trims)	Clamp-On	750 lbs.
H2154B	Black	Steel	H1 3-Bar System	Mercedes Sprinter 2002-2006 (Low Roof)	Clamp-On	750 lbs.
H2154W	White	Steel	H1 3-Bar System	Mercedes Sprinter 2002-2006 (Low Roof)	Clamp-On	750 lbs.
H2155B	Black	Aluminum	H1 3-Bar System	Mercedes Sprinter 2002-2006 (Low Roof)	Clamp-On	750 lbs.
H2155W	White	Aluminum	H1 3-Bar System	Mercedes Sprinter 2002-2006 (Low Roof)	Clamp-On	750 lbs.
H2156B*	Black	Steel	H1 3-Bar System	Mercedes Sprinter 2002-2006 (High Roof)	Clamp-On	750 lbs.
H2156W*	White	Steel	H1 3-Bar System	Mercedes Sprinter 2002-2006 (High Roof)	Clamp-On	750 lbs.
H2157B*	Black	Aluminum	H1 3-Bar System	Mercedes Sprinter 2002-2006 (High Roof)	Clamp-On	750 lbs.
H2157W*	White	Aluminum	H1 3-Bar System	Mercedes Sprinter 2002-2006 (High Roof)	Clamp-On	750 lbs.

Include roller to my order. Add "R" to the end of the part #.



*Roller add-on not available

H1-SERIES

KUV BODY



KUV Body



WHAT'S IN THE BOX?

2 BAR SYSTEM



Includes:

- 2X Cross Bar
- 4X Mounts
- 1X Hook & Loop Strap
- 1X Ladder Stopper
- 1X Ladder Guide
- 2X Bar Guards
- 1X Hardware

3 BAR SYSTEM





Includes:

- 3X Cross Bar
- 6X Mounts
- 2X Hook & Loop Strap
- 2X Ladder Stopper
- 2X Ladder Guide
- 3X Bar Guards
- 1X Hardware

PART #	Color	Material	Description	Fitment	Install	Capacity
H51002358B	Black	Steel	2 Bar System 72"-75"	KUV body	Drilling Required	500 lbs.
H51002358W	White	Steel	2 Bar System 72"-75"	KUV body	Drilling Required	500 lbs.
H51003358B	Black	Steel	3 Bar System 72"-75"	KUV body	Drilling Required	750 lbs.
H51003358W	White	Steel	3 Bar System 72"-75"	KUV body	Drilling Required	750 lbs.
H51002359B	Black	Aluminum	2 Bar System 72"-75"	KUV body	Drilling Required	500 lbs.
H51002359W	White	Aluminum	2 Bar System 72"-75"	KUV body	Drilling Required	500 lbs.
H51003359B	Black	Aluminum	3 Bar System 72"-75"	KUV body	Drilling Required	750 lbs.
H51003359W	White	Aluminum	3 Bar System 72"-75"	KUV body	Drilling Required	750 lbs.

MIDSIZE VAN/PICKUP TOPPER & CAP

Midsized Van / Pickup Topper & Caps



WHAT'S IN THE BOX?



2 BAR SYSTEM

- Includes:**
 2X Cross Bar
 4X Mounts
 1X Ladder Stopper
 1X Ladder Guide
 1X Hook & Loop Strap
 2X Bar Guards
 1X Hardware

PART #	Color	Material	Description	Fitment	Install	Capacity
H2095B	Black	Steel	H1 2-Bar System 42"- 46" (W)	Midsized Van / Universal	Drilling Required	500 lbs.
H2095W	White	Steel	H1 2-Bar System 42"- 46" (W)	Midsized Van / Universal	Drilling Required	500 lbs.
H2096B	Black	Steel	H1 2-Bar System 56"- 60" (W)	Midsized Van / Universal	Drilling Required	500 lbs.
H2096W	White	Steel	H1 2-Bar System 56"- 60" (W)	Midsized Van / Universal	Drilling Required	500 lbs.
H2098B	Black	Aluminum	H1 2-Bar System 42"- 46" (W)	Midsized Van / Universal	Drilling Required	500 lbs.
H2098W	White	Aluminum	H1 2-Bar System 42"- 46" (W)	Midsized Van / Universal	Drilling Required	500 lbs.
H2099B	Black	Aluminum	H1 2-Bar System 56"- 60" (W)	Midsized Van / Universal	Drilling Required	500 lbs.
H2099W	White	Aluminum	H1 2-Bar System 56"- 60" (W)	Midsized Van / Universal	Drilling Required	500 lbs.




WHAT'S IN THE BOX?



2 BAR SYSTEM

- Includes:**
 2X Cross Bar
 4X Mounts
 1X Ladder Stopper
 1X Ladder Guide
 1X Hook & Loop Strap
 2X Bar Guards
 1X Hardware

PART #	Color	Material	Description	Fitment	Install	Capacity
H1090B	Black	Steel	H1 2-Bar System 42"- 46" (W)	Pickup Topper & Cap / Universal	Drilling Required	500 lbs.
H1090W	White	Steel	H1 2-Bar System 42"- 46" (W)	Pickup Topper & Cap / Universal	Drilling Required	500 lbs.
H1093B	Black	Aluminum	H1 2-Bar System 42"- 46" (W)	Pickup Topper & Cap / Universal	Drilling Required	500 lbs.
H1093W	White	Aluminum	H1 2-Bar System 42"- 46" (W)	Pickup Topper & Cap / Universal	Drilling Required	500 lbs.



WHAT'S IN THE BOX?



2 BAR SYSTEM

Includes:
 2X Cross Bar 4X Adapters
 4X Mounts 1X Hardware



3 BAR SYSTEM

Includes:
 3X Cross Bar 6X Adapters
 6X Mounts 1X Hardware





4 BAR SYSTEM

Includes:
 4X Cross Bar 8X Adapters
 8X Mounts 1X Hardware



Side Mount



PART #	Color	Material	Description	Fitment	Install	Capacity
C46002178B	Black	Steel	H1 2-Bar System (73"- 81") Side Mount	Box Truck / Trailer	Drilling Required	500 lbs.
C46002178W	White	Steel	H1 2-Bar System (73"- 81") Side Mount	Box Truck / Trailer	Drilling Required	500 lbs.
C46002158B	Black	Steel	H1 2-Bar System (82"- 90") Side Mount	Box Truck / Trailer	Drilling Required	500 lbs.
C46002158W	White	Steel	H1 2-Bar System (82"- 90") Side Mount	Box Truck / Trailer	Drilling Required	500 lbs.
C46002160B	Black	Steel	H1 2-Bar System (94"- 102") Side Mount	Box Truck / Trailer	Drilling Required	500 lbs.
C46002160W	White	Steel	H1 2-Bar System (94"- 102") Side Mount	Box Truck / Trailer	Drilling Required	500 lbs.
C46003178B	Black	Steel	H1 3-Bar System (73"- 81") Side Mount	Box Truck / Trailer	Drilling Required	750 lbs.
C46003178W	White	Steel	H1 3-Bar System (73"- 81") Side Mount	Box Truck / Trailer	Drilling Required	750 lbs.
C46003158B	Black	Steel	H1 3-Bar System (82"- 90") Side Mount	Box Truck / Trailer	Drilling Required	750 lbs.
C46003158W	White	Steel	H1 3-Bar System (82"- 90") Side Mount	Box Truck / Trailer	Drilling Required	750 lbs.
C46003160B	Black	Steel	H1 3-Bar System (94"- 102") Side Mount	Box Truck / Trailer	Drilling Required	750 lbs.
C46003160W	White	Steel	H1 3-Bar System (94"- 102") Side Mount	Box Truck / Trailer	Drilling Required	750 lbs.
C46004178B	Black	Steel	H1 4-Bar System (73"- 81") Side Mount	Box Truck / Trailer	Drilling Required	950 lbs.
C46004178W	White	Steel	H1 4-Bar System (73"- 81") Side Mount	Box Truck / Trailer	Drilling Required	950 lbs.
C46004158B	Black	Steel	H1 4-Bar System (82"- 90") Side Mount	Box Truck / Trailer	Drilling Required	950 lbs.
C46004158W	White	Steel	H1 4-Bar System (82"- 90") Side Mount	Box Truck / Trailer	Drilling Required	950 lbs.
C46004160B	Black	Steel	H1 4-Bar System (94"- 102") Side Mount	Box Truck / Trailer	Drilling Required	950 lbs.
C46004160W	White	Steel	H1 4-Bar System (94"- 102") Side Mount	Box Truck / Trailer	Drilling Required	950 lbs.
C46002179B	Black	Aluminum	H1 2-Bar System (73"- 81") Side Mount	Box Truck / Trailer	Drilling Required	500 lbs.
C46002179W	White	Aluminum	H1 2-Bar System (73"- 81") Side Mount	Box Truck / Trailer	Drilling Required	500 lbs.
C46002159B	Black	Aluminum	H1 2-Bar System (82"- 90") Side Mount	Box Truck / Trailer	Drilling Required	500 lbs.
C46002159W	White	Aluminum	H1 2-Bar System (82"- 90") Side Mount	Box Truck / Trailer	Drilling Required	500 lbs.
C46002161B	Black	Aluminum	H1 2-Bar System (94"- 102") Side Mount	Box Truck / Trailer	Drilling Required	500 lbs.
C46002161W	White	Aluminum	H1 2-Bar System (94"- 102") Side Mount	Box Truck / Trailer	Drilling Required	500 lbs.
C46003179B	Black	Aluminum	H1 3-Bar System (73"- 81") Side Mount	Box Truck / Trailer	Drilling Required	750 lbs.
C46003179W	White	Aluminum	H1 3-Bar System (73"- 81") Side Mount	Box Truck / Trailer	Drilling Required	750 lbs.
C46003159B	Black	Aluminum	H1 3-Bar System (82"- 90") Side Mount	Box Truck / Trailer	Drilling Required	750 lbs.
C46003159W	White	Aluminum	H1 3-Bar System (82"- 90") Side Mount	Box Truck / Trailer	Drilling Required	750 lbs.
C46003161B	Black	Aluminum	H1 3-Bar System (94"- 102") Side Mount	Box Truck / Trailer	Drilling Required	750 lbs.
C46003161W	White	Aluminum	H1 3-Bar System (94"- 102") Side Mount	Box Truck / Trailer	Drilling Required	750 lbs.
C46004179B	Black	Aluminum	H1 4-Bar System (73"- 81") Side Mount	Box Truck / Trailer	Drilling Required	950 lbs.
C46004179W	White	Aluminum	H1 4-Bar System (73"- 81") Side Mount	Box Truck / Trailer	Drilling Required	950 lbs.
C46004159B	Black	Aluminum	H1 4-Bar System (82"- 90") Side Mount	Box Truck / Trailer	Drilling Required	950 lbs.
C46004159W	White	Aluminum	H1 4-Bar System (82"- 90") Side Mount	Box Truck / Trailer	Drilling Required	950 lbs.
C46004161B	Black	Aluminum	H1 4-Bar System (94"- 102") Side Mount	Box Truck / Trailer	Drilling Required	950 lbs.
C46004161W	White	Aluminum	H1 4-Bar System (94"- 102") Side Mount	Box Truck / Trailer	Drilling Required	950 lbs.



@sohoartmaterials

Location: Brooklyn, NY

WHAT'S IN THE BOX?

2 BAR SYSTEM



Includes:
 2X Cross Bar 4X Adapters
 4X Mounts 1X Hardware

3 BAR SYSTEM





Includes:
 3X Cross Bar 6X Adapters
 6X Mounts 1X Hardware




4 BAR SYSTEM



Includes:
 4X Cross Bar 8X Adapters
 8X Mounts 1X Hardware



Top Mount



PART #	Color	Material	Description	Fitment	Install	Capacity
C46002358B	Black	Steel	H1 2-Bar System (82"- 90") Top Mount	Box Truck / Trailer	Drilling Required	500 lbs.
C46002358W	White	Steel	H1 2-Bar System (82"- 90") Top Mount	Box Truck / Trailer	Drilling Required	500 lbs.
C46002360B	Black	Steel	H1 2-Bar System (94"- 102") Top Mount	Box Truck / Trailer	Drilling Required	500 lbs.
C46002360W	White	Steel	H1 2-Bar System (94"- 102") Top Mount	Box Truck / Trailer	Drilling Required	500 lbs.
C46003358B	Black	Steel	H1 3-Bar System (82"- 90") Top Mount	Box Truck / Trailer	Drilling Required	750 lbs.
C46003358W	White	Steel	H1 3-Bar System (82"- 90") Top Mount	Box Truck / Trailer	Drilling Required	750 lbs.
C46003360B	Black	Steel	H1 3-Bar System (94"- 102") Top Mount	Box Truck / Trailer	Drilling Required	750 lbs.
C46003360W	White	Steel	H1 3-Bar System (94"- 102") Top Mount	Box Truck / Trailer	Drilling Required	750 lbs.
C46004358B	Black	Steel	H1 4-Bar System (82"- 90") Top Mount	Box Truck / Trailer	Drilling Required	900 lbs.
C46004358W	White	Steel	H1 4-Bar System (82"- 90") Top Mount	Box Truck / Trailer	Drilling Required	900 lbs.
C46004360B	Black	Steel	H1 4-Bar System (94"- 102") Top Mount	Box Truck / Trailer	Drilling Required	900 lbs.
C46004360W	White	Steel	H1 4-Bar System (94"- 102") Top Mount	Box Truck / Trailer	Drilling Required	900 lbs.
C46002359B	Black	Aluminum	H1 2-Bar System (82"- 90") Top Mount	Box Truck / Trailer	Drilling Required	500 lbs.
C46002359W	White	Aluminum	H1 2-Bar System (82"- 90") Top Mount	Box Truck / Trailer	Drilling Required	500 lbs.
C46002361B	Black	Aluminum	H1 2-Bar System (94"- 102") Top Mount	Box Truck / Trailer	Drilling Required	500 lbs.
C46002361W	White	Aluminum	H1 2-Bar System (94"- 102") Top Mount	Box Truck / Trailer	Drilling Required	500 lbs.
C46003359B	Black	Aluminum	H1 3-Bar System (82"- 90") Top Mount	Box Truck / Trailer	Drilling Required	750 lbs.
C46003359W	White	Aluminum	H1 3-Bar System (82"- 90") Top Mount	Box Truck / Trailer	Drilling Required	750 lbs.
C46003361B	Black	Aluminum	H1 3-Bar System (94"- 102") Top Mount	Box Truck / Trailer	Drilling Required	750 lbs.
C46003361W	White	Aluminum	H1 3-Bar System (94"- 102") Top Mount	Box Truck / Trailer	Drilling Required	750 lbs.
C46004359B	Black	Aluminum	H1 4-Bar System (82"- 90") Top Mount	Box Truck / Trailer	Drilling Required	900 lbs.
C46004359W	White	Aluminum	H1 4-Bar System (82"- 90") Top Mount	Box Truck / Trailer	Drilling Required	900 lbs.
C46004361B	Black	Aluminum	H1 4-Bar System (94"- 102") Top Mount	Box Truck / Trailer	Drilling Required	900 lbs.
C46004361W	White	Aluminum	H1 4-Bar System (94"- 102") Top Mount	Box Truck / Trailer	Drilling Required	900 lbs.








FITMENT GUIDE

The H1 custom kit is the no-drill solution to your conversion van's roof-cargo problems. Available in steel or Aluminum, the H1 custom attaches to your conversion van's drip rail, and provides up to 225 lbs. of payload capacity per bar. This system is height adjustable, allowing for the crossbar height to be mounted as low as 3 inches from the drip rail, to as high as 25" from the drip rail, depending on your vehicle's roof line and clearance needs. The excess vertical bars can be cut and re-capped for a clean look, or left as is for future mounting options.

Bar clearance	Capacity
3"-10"	225 lbs. per bar
11"-14"	200 lbs. per bar
15"-18"	175 lbs. per bar
19"-22"	150 lbs. per bar
23"-25"	125 lbs. per bar





@where.they.beignet

Location: Klickitat River Canyon, WA

PART #	Color	Material	Description	Fitment	Install	Capacity
C45002X55B	Black	Aluminum	H1 2-Bar Custom System	57" - 59" Drip to Drip	Clamp-On	See pg. 16
C45002X55W	White	Aluminum	H1 2-Bar Custom System	57" - 59" Drip to Drip	Clamp-On	See pg. 16
C45003X55B	Black	Aluminum	H1 3-Bar Custom System	57" - 59" Drip to Drip	Clamp-On	See pg. 16
C45003X55W	White	Aluminum	H1 3-Bar Custom System	57" - 59" Drip to Drip	Clamp-On	See pg. 16
C45002X57B	Black	Aluminum	H1 2-Bar Custom System	63" - 65" Drip to Drip	Clamp-On	See pg. 16
C45002X57W	White	Aluminum	H1 2-Bar Custom System	63" - 65" Drip to Drip	Clamp-On	See pg. 16
C45003X57B	Black	Aluminum	H1 3-Bar Custom System	63" - 65" Drip to Drip	Clamp-On	See pg. 16
C45003X57W	White	Aluminum	H1 3-Bar Custom System	63" - 65" Drip to Drip	Clamp-On	See pg. 16

H1-SERIES

ACCESSORIES



PART #	Color	Material	Description	Fitment	Install	Capacity
ROH124-59B	Black	Aluminum	H1 Roller System	Chevrolet Express 1996-On (All trims)	Bolt-On	75 lbs.
ROH124-59W	White	Aluminum	H1 Roller System	Chevrolet Express 1996-On (All trims)	Bolt-On	75 lbs.
ROH124-64B	Black	Aluminum	H1 Roller System	Dodge RAM Van 1981-2007 (All trims)	Bolt-On	75 lbs.
ROH124-64W	White	Aluminum	H1 Roller System	Dodge RAM Van 1981-2007 (All trims)	Bolt-On	75 lbs.
ROH124-64B	Black	Aluminum	H1 Roller System	Ford Econoline 1992-2014 (All trims)	Bolt-On	75 lbs.
ROH124-64W	White	Aluminum	H1 Roller System	Ford Econoline 1992-2014 (All trims)	Bolt-On	75 lbs.
ROH124-45B	Black	Aluminum	H1 Roller System	Ford Transit Connect 2014-On (All trims)	Bolt-On	75 lbs.
ROH124-45W	White	Aluminum	H1 Roller System	Ford Transit Connect 2014-On (All trims)	Bolt-On	75 lbs.
ROH136-57B	Black	Aluminum	H1 Roller System	Ford Transit 2015-On (All trims)	Bolt-On	75 lbs.
ROH136-57W	White	Aluminum	H1 Roller System	Ford Transit 2015-On (All trims)	Bolt-On	75 lbs.
ROH124-59B	Black	Aluminum	H1 Roller System	GMC Savana 1996-On (All trims)	Bolt-On	75 lbs.
ROH124-59W	White	Aluminum	H1 Roller System	GMC Savana 1996-On (All trims)	Bolt-On	75 lbs.
ROH136-54B	Black	Aluminum	H1 Roller System	Mercedes Metris 2016-2023 (All trims)	Bolt-On	75 lbs.
ROH136-54W	White	Aluminum	H1 Roller System	Mercedes Metris 2016-2023 (All trims)	Bolt-On	75 lbs.
ROH136-60B	Black	Aluminum	H1 Roller System	Mercedes Sprinter 2007-On (Low Roof) All trims	Bolt-On	75 lbs.
ROH136-60W	White	Aluminum	H1 Roller System	Mercedes Sprinter 2007-On (Low Roof) All trims	Bolt-On	75 lbs.
ROH136-54B	Black	Aluminum	H1 Roller System	Mercedes Sprinter 2007-On (High Roof) All trims	Bolt-On	75 lbs.
ROH136-54W	White	Aluminum	H1 Roller System	Mercedes Sprinter 2007-On (High Roof) All trims	Bolt-On	75 lbs.
ROH124-45B	Black	Aluminum	H1 Roller System	Nissan NV200 2014-2021 (All trims)	Bolt-On	75 lbs.
ROH124-45W	White	Aluminum	H1 Roller System	Nissan NV200 2014-2021 (All trims)	Bolt-On	75 lbs.
ROH136-60B	Black	Aluminum	H1 Roller System	Nissan NV Cargo 2012-2021 (All trims)	Bolt-On	75 lbs.
ROH136-60W	White	Aluminum	H1 Roller System	Nissan NV Cargo 2012-2021 (All trims)	Bolt-On	75 lbs.
ROH124-45B	Black	Aluminum	H1 Roller System	RAM ProMaster City 2015-On (All trims)	Bolt-On	75 lbs.
ROH124-45W	White	Aluminum	H1 Roller System	RAM ProMaster City 2015-On (All trims)	Bolt-On	75 lbs.
ROH136-60B	Black	Aluminum	H1 Roller System	RAM ProMaster 2013-On (All trims)	Bolt-On	75 lbs.
ROH136-60W	White	Aluminum	H1 Roller System	RAM ProMaster 2013-On (All trims)	Bolt-On	75 lbs.


*Confirm position of the rear backup camera to ensure the roller system does not interfere.



PART #	Color	Material	Description	Fitment	Figure	Capacity
A02	Black	Steel	Ladder Guide	H1-Series	a	75 lbs.
A06	Black	Steel	Ladder Stopper	H1-Series	b	75 lbs.
A69	Black	Nylon	Hook & Loop Strap	Universal	c	75 lbs.
RTDH1K	Black	Stainless	Ratchet Tie-Down	H1-Series	d	250 lbs.
WF-36B	Black	Aluminum	Wind-Foil (36") Noise Reducer	H1-Series	e	n/a
WF-36W	White	Aluminum	Wind-Foil (36") Noise Reducer	H1-Series	e	n/a

H2.1

The redesigned, all aluminum, H2.1 is the lighter - and stronger - iteration of our original H2 system. Design improvements have allowed us to increase usability and ease of install, while reducing the overall weight of the system by 20%. This was done by focusing more material in the most crucial weight-bearing points and joints of the system, while reducing the material in areas that hold no structural significance. Modularity has also been increased with the addition of more crossbar mounting holes at shorter intervals across the side rails - meaning you can better pick and choose where your crossbars will go, and how many you may need. This will allow users to compensate for various sizes of solar panels, roof vents, roof decks, and much more! We have also designed a series of front and rear attachments that allow you to tailor our system to fit your individual needs. We have also widened the side-rail accessory slots to better accommodate third-party gear such as awnings and water tanks. Finally, the stronger design allows the whole system to be mounted lower and closer to the roof line, with our new low-profile mounting bases. Your rack and cargo will now be more secure and face less drag and wind noise. The H2.1 is available for all major van platforms and can be installed via the OEM mounting holes or the OEM drip rails. This system can do it all, because YOU do it all.



@wandering.van.life

Location: Joshua Tree National Park, CA



As shown (DD)

AA / AB»

AA: The AA configuration is simple and clean. Two “loop” or ‘U’ style end caps on each end of the system closes off the holes of the side rails, and leaves an open ended rack for cargo such as ladders, canoes, and surfboards.




AB: The AB configuration maintains the simplicity of the AA system, but replaces the rear ‘A’ loops with the ‘B’ cargo roller. This roller allows for easy loading and unloading. It also protects your roof line and any high mounted brake lights or reflectors from accidental loading/unloading damage.



DB / DC / DD»


DB: The ‘DB’ configuration combines form and function with our 40 degree angled ‘D’ face-plate, and the ‘B’ cargo roller. The angled front ‘D’ faceplate acts as a wind foil, and reduces drag as well as wind noise when traveling. It also channels air over and around any low profile cargo like ladders and folding tents. The ‘B’ roller allows for easy loading and unloading. It also protects your roof line and any high mounted brake lights or reflectors from accidental loading/unloading damage.



DC: The ‘DC’ configuration maximizes aerodynamics up front, while providing a vertical basket wall in the rear. The angled front ‘D’ faceplate acts as a wind foil, and reduces drag as well as wind noise when traveling. The vertical rear ‘C’ faceplate closes off your H2.1 and prevents cargo from sliding off the rear.




DD: The ‘DD’ configuration maximizes aerodynamics in the front and rear. The angled front ‘D’ faceplate acts as a wind foil, and reduces drag as well as wind noise when traveling. The rear mounted ‘D’ faceplate allows for air to smoothly pass over it, but can also be mounted upside-down to create a wider mouthed basket.




EB / EC / ED »


EB: The ‘EB’ combination extends the load capability with the ‘E’ Cantilever while the ‘B’ cargo roller. The ‘E’ front adds an extra crossbar and extends the front of the H2.1 by 19.1 inches. The crossbar allows for fog-lights and other clamp-mounted accessories to be seamlessly integrated to the system. This roller allows for easy loading and unloading. It also protects your roof line and any high mounted brake lights or reflectors from accidental loading/unloading damage.



EC: The ‘EC’ combination turns your H2.1 into an extended half-basket. The ‘E’ front adds an extra crossbar and extends the front of the H2.1 by 19.1 inches. The crossbar allows for fog-lights and other clamp-mounted accessories to be seamlessly integrated to the system. The ‘C’ rear faceplate closes off the rear and prevents cargo from falling or sliding out from the back of the system.




ED: The ‘ED’ combination turns your H2.1 into an extended half-basket. The ‘E’ front adds an extra crossbar and extends the front of the H2.1 by 19.1 inches. The crossbar allows for fog-lights and other clamp-mounted accessories to be seamlessly integrated to the system. The rear mounted ‘D’ faceplate allows for air to smoothly pass over it, but can also be mounted upside-down to create a wider mouthed basket.




FC / FD »

FC: The ‘FC’ configuration allows for the integration of fog lights without compromising cargo space. The ‘F’ front end extends the system by 19.5 inches, as well as adds a lower bar to mount accessories to. The 8 inch gap between the top rail and bottom rail allows for a variety of foglights and lightbars to be mounted. The rear ‘C’ faceplate closes off the system and prevents cargo from sliding or slipping out of the rear.



FD: The FD configuration allows for the integration of fog lights without compromising cargo space. The ‘F’ front end extends the system by 19.5 inches, as well as adds a lower bar to mount accessories to. There is an 8 inch space between the bottom and top rail of the ‘F’ piece, which allows for a variety of fog lights and lightbars to be mounted. The rear ‘D’ faceplate is angled at 40 degrees to reduce drag and wind noise by allowing air to more easily pass over and around it. Please note that the ‘D’ piece can also be installed upside down to create a basket style rear end for the system. *fog light s NOT included*






As shown (DD)




AA System



*Crossbar quantity may vary depending on vehicle make and model.

PART #	Description	Fitment	Dim1	Dim2	Dim3	Dim4	Install	Capacity
H1816AA31B	H2.1 AA System	Ford Transit Connect 2014-On (SWB / All trims)	63"	50"	75"	7.5"	Bolt-On	500 lbs.
H1817AA01B	H2.1 AA System	Ford Transit Connect 2014-On (LWB / All trims)	79"	50"	91"	7.5"	Bolt-On	500 lbs.
H3303AA01B	H2.1 AA System	Nissan NV200 2012-2021 (All trims)	79"	50"	91"	7.5"	Bolt-On	500 lbs.
H3507AA01B	H2.1 AA System	RAM ProMaster City 2015-On (All trims)	79"	50"	91"	7.5"	Bolt-On	500 lbs.


AB System



*Crossbar quantity may vary depending on vehicle make and model.

PART #	Description	Fitment	Dim1	Dim2	Dim3	Dim4	Install	Capacity
H1816AB31B	H2.1 AB System	Ford Transit Connect 2014-On (SWB / All trims)	63"	50"	105-111"	8"	Bolt-On	500 lbs.
H1817AB01B	H2.1 AB System	Ford Transit Connect 2014-On (LWB / All trims)	79"	50"	91-97"	8"	Bolt-On	500 lbs.
H3303AB01B	H2.1 AB System	Nissan NV200 2012-2021 (All trims)	79"	50"	91-97"	8"	Bolt-On	500 lbs.
H3507AB01B	H2.1 AB System	RAM ProMaster City 2015-On (All trims)	79"	50"	91-97"	8"	Bolt-On	500 lbs.

DD System



*Crossbar quantity may vary depending on vehicle make and model.

PART #	Description	Fitment	Dim1	Dim2	Dim3	Dim4	Install	Capacity
H1816DD31B	H2.1 DD System	Ford Transit Connect 2014-On (SWB / All trims)	63"	50"	79"	7.5"	Bolt-On	500 lbs.
H1817DD01B	H2.1 DD System	Ford Transit Connect 2014-On (LWB / All trims)	79"	50"	95"	7.5"	Bolt-On	500 lbs.
H3303DD01B	H2.1 DD System	Nissan NV200 2012-2021 (All trims)	79"	50"	95"	7.5"	Bolt-On	500 lbs.
H3507DD01B	H2.1 DD System	RAM ProMaster City 2015-On (All trims)	79"	50"	95"	7.5"	Bolt-On	500 lbs.




As shown (FD)
Fog lights not incl.



@cheo_01

Location: Amityville, NY

EB System




*Crossbar quantity may vary depending on vehicle make and model.

PART #	Description	Fitment	Dim1	Dim2	Dim3	Dim4	Install	Capacity
H1815EB31B	H2.1 EB System	Ford Transit Connect 2008-2013 (All trims)	63"	50"	89-95"	8"	Bolt-On	500 lbs.
H1816EB31B	H2.1 EB System	Ford Transit Connect 2014-On (SWB / All trims)	63"	50"	89-95"	8"	Bolt-On	500 lbs.
H1817EB01B	H2.1 EB System	Ford Transit Connect 2014-On (LWB / All trims)	79"	50"	105-111"	8"	Bolt-On	500 lbs.
H3303EB01B	H2.1 EB System	Nissan NV200 2012-2021 (All trims)	79"	50"	105-111"	8"	Bolt-On	500 lbs.
H3507EB01B	H2.1 EB System	RAM ProMaster City 2015-On (All trims)	79"	50"	105-111"	8"	Bolt-On	500 lbs.



As shown (EB)

FD System



*Crossbar quantity may vary depending on vehicle make and model.

PART #	Description	Fitment	Dim1	Dim2	Dim3	Dim4	Install	Capacity
H1816FD01B	H2.1 FD System	Ford Transit Connect 2014-On (SWB / All trims)	79"	50"	109"	7.5"	Bolt-On	500 lbs.
H1817FD02B	H2.1 FD System	Ford Transit Connect 2014-On (LWB / All trims)	94"	50"	124"	7.5"	Bolt-On	500 lbs.
H3303FD02B	H2.1 FD System	Nissan NV200 2012-2021 (All trims)	94"	50"	124"	7.5"	Bolt-On	500 lbs.
H3507FD02B	H2.1 FD System	RAM ProMaster City 2015-On (All trims)	94"	50"	124"	7.5"	Bolt-On	500 lbs.




As shown (AB)



@jbmccran

Location: Keechelus Lake, WA

AA System




*Crossbar quantity may vary depending on vehicle make and model.

PART #	Description	Fitment	Dim1	Dim2	Dim3	Dim4	Install	Capacity
H1808AA03B	H2.1 AA System	Ford Transit 2015-On (Low Roof / 130" WB / All trims)	110"	65"	122"	7"	Bolt-On	750 lbs.
H1809AA02B	H2.1 AA System	Ford Transit 2015-On (Medium Roof / 130" WB / All trims)	94"	65"	106"	8"	Bolt-On	750 lbs.
H1810AA04B	H2.1 AA System	Ford Transit 2015-On (Low Roof / 148" WB / All trims)	126"	65"	138"	7"	Bolt-On	750 lbs.
H1811AA03B	H2.1 AA System	Ford Transit 2015-On (Medium Roof / 148" WB / All trims)	110"	65"	122"	8"	Bolt-On	750 lbs.
H1812AA02B	H2.1 AA System	Ford Transit 2015-On (High Roof / 148" WB / All trims)	94"	65"	106"	8"	Bolt-On	750 lbs.
H1813AA04B	H2.1 AA System	Ford Transit 2015-On (High Roof / 148" WB / Extended)	126"	65"	138"	8"	Bolt-On	750 lbs.
H3003AA04B	H2.1 AA System	Mercedes Sprinter 2007-On (Low Roof / 144" WB / All trims)	126"	65"	138"	8"	Tracks Req*	750 lbs.
H3010AA03B	H2.1 AA System	Mercedes Sprinter 2007-On (High Roof / 144" WB / All trims)	110"	60"	122"	8"	Tracks Req*	750 lbs.
H3004AA06B	H2.1 AA System	Mercedes Sprinter 2007-On (High Roof / 170" WB / All trims)	158"	60"	170"	8"	Tracks Req*	750 lbs.
H3005AA07B	H2.1 AA System	Mercedes Sprinter 2007-On (High Roof / 170" WB / Ext)	173"	60"	185"	8"	Tracks Req*	750 lbs.
H3301AA04B	H2.1 AA System	Nissan NV Cargo 2012-2021 (Low Roof / All trims)	126"	65"	138"	7.5"	Bolt-On	750 lbs.
H3302AA02B	H2.1 AA System	Nissan NV Cargo 2012-2021 (High Roof / All trims)	94"	60"	106"	7.5"	Bolt-On	750 lbs.
H3501AA03B	H2.1 AA System	RAM ProMaster 2013-On (Low Roof / 118" WB / All trims)	110"	65"	122"	8"	Bolt-On	750 lbs.
H3502AA04B	H2.1 AA System	RAM ProMaster 2013-On (Low Roof / 136" WB / All trims)	126"	65"	138"	8"	Bolt-On	750 lbs.
H3503AA03B	H2.1 AA System	RAM ProMaster 2013-On (High Roof / 136" WB / All trims)	110"	65"	122"	8"	Bolt-On	750 lbs.
H3504AA05B	H2.1 AA System	RAM ProMaster 2013-On (High Roof / 159" WB / All trims)	142"	65"	154"	8"	Bolt-On	750 lbs.
H3505AA06B	H2.1 AA System	RAM ProMaster 2013-On (High Roof / 159" WB / Extended)	158"	65"	170"	8"	Bolt-On	750 lbs.

*Tracks required. See page 68.

AB System



*Crossbar quantity may vary depending on vehicle make and model.

PART #	Description	Fitment	Dim1	Dim2	Dim3	Dim4	Install	Capacity
H1505AB03B	H2.1 AB System	Chevrolet Express 1996-On (135" WB / Regular)	110"	60"	122-128"	11"	Clamp-On	750 lbs.
H1506AB04B	H2.1 AB System	Chevrolet Express 1996-On (155" WB / Extended)	126"	60"	138-144"	11"	Clamp-On	750 lbs.
H1805AB03B	H2.1 AB System	Ford Econoline 1992-2014 (Regular)	110"	65"	122-128"	11"	Clamp-On	750 lbs.
H1806AB04B	H2.1 AB System	Ford Econoline 1992-2014 (Extended)	126"	65"	138-144"	11"	Clamp-On	750 lbs.
H2004AB03B	H2.1 AB System	GMC Savana 1996-On (135" WB / Regular)	110"	60"	122-128"	11"	Clamp-On	750 lbs.
H2005AB04B	H2.1 AB System	GMC Savana 1996-On (155" WB / Extended)	126"	60"	138-144"	11"	Clamp-On	750 lbs.




As shown (DC)

H2.1-SERIES

FULLSIZE VAN

DB System




*Crossbar quantity may vary depending on vehicle make and model.

PART #	Description	Fitment	Dim1	Dim2	Dim3	Dim4	Install	Capacity
H3504DB05B	H2.1 DB System	RAM ProMaster 2013-On (High Roof / 159" WB / All trims)	142"	65"	156-162"	8"	Bolt-On	750 lbs.
H3505DB06B	H2.1 DB System	RAM ProMaster 2013-On (High Roof / 159" WB / Ext)	158"	65"	172-178"	8"	Bolt-On	750 lbs.



As shown (DB)

DC System



*Crossbar quantity may vary depending on vehicle make and model.

PART #	Description	Fitment	Dim1	Dim2	Dim3	Dim4	Install	Capacity
H3501DC03B	H2.1 DC System	RAM ProMaster 2013-On (Low Roof / 118" WB / All trims)	110"	65"	122"	8"	Bolt-On	750 lbs.
H3502DC04B	H2.1 DC System	RAM ProMaster 2013-On (Low Roof / 136" WB / All trims)	126"	65"	138"	8"	Bolt-On	750 lbs.
H3503DC03B	H2.1 DC System	RAM ProMaster 2013-On (High Roof / 136" WB / All trims)	110"	65"	122"	8"	Bolt-On	750 lbs.
H3504DC05B	H2.1 DC System	RAM ProMaster 2013-On (High Roof / 159" WB / All trims)	142"	65"	154"	8"	Bolt-On	750 lbs.
H3505DC06B	H2.1 DC System	RAM ProMaster 2013-On (High Roof / 159" WB / Extended)	158"	65"	170"	8"	Bolt-On	750 lbs.



As shown (DD)




[@findseanoconner](#)

Location: Unknown

H2.1-SERIES

FULLSIZE VAN

DD System



*Crossbar quantity may vary depending on vehicle make and model.

PART #	Description	Fitment	Dim1	Dim2	Dim3	Dim4	Install	Capacity
H1505DD03B	H2.1 DD System	Chevrolet Express 1996-On (135" WB / Regular)	110"	60"	126"	11"	Clamp-On	750 lbs.
H1506DD04B	H2.1 DD System	Chevrolet Express 1996-On (155" WB / Extended)	126"	60"	142"	11"	Clamp-On	750 lbs.
H1805DD03B	H2.1 DD System	Ford Econoline 1992-2014 (Regular)	110"	65"	126"	11"	Clamp-On	750 lbs.
H1806DD04B	H2.1 DD System	Ford Econoline 1992-2014 (Extended)	126"	65"	142"	11"	Clamp-On	750 lbs.
H1808DD03B	H2.1 DD System	Ford Transit 2015-On (Low Roof / 130" WB / All trims)	110"	65"	126"	7"	Bolt-On	750 lbs.
H1809DD02B	H2.1 DD System	Ford Transit 2015-On (Medium Roof / 130" WB / All trims)	94"	65"	110"	8"	Bolt-On	750 lbs.
H1810DD04B	H2.1 DD System	Ford Transit 2015-On (Low Roof / 148" WB / All trims)	126"	65"	142"	7"	Bolt-On	750 lbs.
H1811DD03B	H2.1 DD System	Ford Transit 2015-On (Medium Roof / 148" WB / All trims)	110"	65"	126"	8"	Bolt-On	750 lbs.
H1812DD02B	H2.1 DD System	Ford Transit 2015-On (High Roof / 148" WB / All trims)	94"	65"	110"	8"	Bolt-On	750 lbs.
H1813DD04B	H2.1 DD System	Ford Transit 2015-On (High Roof / 148" WB / Extended)	126"	65"	142"	8"	Bolt-On	750 lbs.
H2004DD03B	H2.1 DD System	GMC Savana 1996-On (135" WB / Regular)	110"	60"	126"	11"	Clamp-On	750 lbs.
H2005DD04B	H2.1 DD System	GMC Savana 1996-On (155" WB / Extended)	126"	60"	142"	11"	Clamp-On	750 lbs.
H3003DD04B	H2.1 DD System	Mercedes Sprinter 2007-On (Low Roof / 144" WB / All trims)	126"	65"	142"	8"	Tracks Req*	750 lbs.
H3010DD03B	H2.1 DD System	Mercedes Sprinter 2007-On (High Roof / 144" WB / All trims)	110"	60"	126"	8"	Tracks Req*	750 lbs.
H3004DD06B	H2.1 DD System	Mercedes Sprinter 2007-On (High Roof / 170" WB / All trims)	158"	60"	174"	8"	Tracks Req*	750 lbs.
H3005DD07B	H2.1 DD System	Mercedes Sprinter 2007-On (High Roof / 170" WB / Ext)	173"	60"	189"	8"	Tracks Req*	750 lbs.
H3301DD04B	H2.1 DD System	Nissan NV Cargo 2012-2021 (Low Roof / All trims)	126"	65"	142"	7.5"	Bolt-On	750 lbs.
H3302DD02B	H2.1 DD System	Nissan NV Cargo 2012-2021 (High Roof / All trims)	94"	60"	110"	7.5"	Bolt-On	750 lbs.

*Tracks required. See page 68.



As shown (DD)



@wandering.van.life

Location: Joshua Tree National Park, CA




As shown (EB) w/ RTDH2K

H2.1-SERIES

FULLSIZE VAN

EB System



*Crossbar quantity may vary depending on vehicle make and model.

PART #	Description	Fitment	Dim1	Dim2	Dim3	Dim4	Install	Capacity
H1505EB03B	H2.1 EB System	Chevrolet Express 1996-On (135" WB / Regular)	110"	60"	136-142"	11"	Clamp-On	750 lbs.
H1506EB04B	H2.1 EB System	Chevrolet Express 1996-On (155" WB / Extended)	126"	60"	152-158"	11"	Clamp-On	750 lbs.
H1805EB03B	H2.1 EB System	Ford Econoline 1992-2014 (Regular)	110"	65"	136-142"	11"	Clamp-On	750 lbs.
H1806EB04B	H2.1 EB System	Ford Econoline 1992-2014 (Extended)	126"	65"	152-158"	11"	Clamp-On	750 lbs.
H1808EB03B	H2.1 EB System	Ford Transit 2015-On (Low Roof / 130" WB / All trims)	110"	65"	136-142"	7"	Bolt-On	750 lbs.
H1809EB02B	H2.1 EB System	Ford Transit 2015-On (Medium Roof / 130" WB / All trims)	94"	65"	120-126"	8"	Bolt-On	750 lbs.
H1810EB04B	H2.1 EB System	Ford Transit 2015-On (Low Roof / 148" WB / All trims)	126"	65"	152-158"	7"	Bolt-On	750 lbs.
H1811EB03B	H2.1 EB System	Ford Transit 2015-On (Medium Roof / 148" WB / All trims)	110"	65"	136-142"	8"	Bolt-On	750 lbs.
H1812EB02B	H2.1 EB System	Ford Transit 2015-On (High Roof / 148" WB / All trims)	94"	65"	120-126"	8"	Bolt-On	750 lbs.
H1813EB04B	H2.1 EB System	Ford Transit 2015-On (High Roof / 148" WB / Extended)	126"	65"	152-158"	8"	Bolt-On	750 lbs.
H2004EB03B	H2.1 EB System	GMC Savana 1996-On (135" WB / Regular)	110"	60"	136-142"	11"	Clamp-On	750 lbs.
H2005EB04B	H2.1 EB System	GMC Savana 1996-On (155" WB / Extended)	126"	60"	152-158"	11"	Clamp-On	750 lbs.
H3003EB04B	H2.1 EB System	Mercedes Sprinter 2007-On (Low Roof / 144" WB / All trims)	126"	65"	152-158"	8"	Tracks Req*	750 lbs.
H3010EB03B	H2.1 EB System	Mercedes Sprinter 2007-On (High Roof / 144" WB / All trims)	110"	60"	136-142"	8"	Tracks Req*	750 lbs.
H3004EB06B	H2.1 EB System	Mercedes Sprinter 2007-On (High Roof / 170" WB / All trims)	158"	60"	184-190"	8"	Tracks Req*	750 lbs.
H3005EB07B	H2.1 EB System	Mercedes Sprinter 2007-On (High Roof / 170" WB / Ext)	173"	60"	199-205"	8"	Tracks Req*	750 lbs.
H3301EB04B	H2.1 EB System	Nissan NV Cargo 2012-2021 (Low Roof / All trims)	126"	65"	152-158"	7.5"	Bolt-On	750 lbs.
H3302EB02B	H2.1 EB System	Nissan NV Cargo 2012-2021 (High Roof / All trims)	94"	60"	120-126"	7.5"	Bolt-On	750 lbs.
H3501EB03B	H2.1 EB System	RAM ProMaster 2013-On (Low Roof / 118" WB / All trims)	110"	65"	136-142"	8"	Bolt-On	750 lbs.
H3502EB04B	H2.1 EB System	RAM ProMaster 2013-On (Low Roof / 136" WB / All trims)	126"	65"	152-158"	8"	Bolt-On	750 lbs.

*Tracks required. See page 68.

As shown (EB)






As shown (ED)



[@findseanoconner](#)

Location: Unknown, CA

EC System




*Crossbar quantity may vary depending on vehicle make and model.

PART #	Description	Fitment	Dim1	Dim2	Dim3	Dim4	Install	Capacity
H3003EC04B	H2.1 EC System	Mercedes Sprinter 2007-On (Low Roof / 144" WB / All trims)	126"	65"	152"	8"	Tracks Req*	750 lbs.
H3010EC03B	H2.1 EC System	Mercedes Sprinter 2007-On (High Roof / 144" WB / All trims)	110"	60"	136"	8"	Tracks Req*	750 lbs.
H3004EC06B	H2.1 EC System	Mercedes Sprinter 2007-On (High Roof / 170" WB / All trims)	158"	60"	184"	8"	Tracks Req*	750 lbs.
H3005EC07B	H2.1 EC System	Mercedes Sprinter 2007-On (High Roof / 170" WB / Ext)	173"	60"	199"	8"	Tracks Req*	750 lbs.
H3301EC04B	H2.1 EC System	Nissan NV Cargo 2012-2021 (Low Roof / All trims)	126"	65"	152"	7.5"	Bolt-On	750 lbs.
H3501EC03B	H2.1 EC System	RAM ProMaster 2013-On (Low Roof / 118" WB / All trims)	110"	65"	136"	8"	Bolt-On	750 lbs.
H3502EC04B	H2.1 EC System	RAM ProMaster 2013-On (Low Roof / 136" WB / All trims)	126"	65"	152"	8"	Bolt-On	750 lbs.

*Tracks required. See page 68.

ED System



*Crossbar quantity may vary depending on vehicle make and model.

PART #	Description	Fitment	Dim1	Dim2	Dim3	Dim4	Install	Capacity
H1808ED03B	H2.1 ED System	Ford Transit 2015-On (Low Roof / 130" WB / All trims)	110"	65"	138"	7"	Bolt-On	750 lbs.
H1809ED02B	H2.1 ED System	Ford Transit 2015-On (Medium Roof / 130" WB / All trims)	94"	65"	122"	8"	Bolt-On	750 lbs.
H1810ED04B	H2.1 ED System	Ford Transit 2015-On (Low Roof / 148" WB / All trims)	126"	65"	154"	7"	Bolt-On	750 lbs.
H1811ED03B	H2.1 ED System	Ford Transit 2015-On (Medium Roof / 148" WB / All trims)	110"	65"	138"	8"	Bolt-On	750 lbs.
H1812ED02B	H2.1 ED System	Ford Transit 2015-On (High Roof / 148" WB / All trims)	94"	65"	122"	8"	Bolt-On	750 lbs.
H1813ED04B	H2.1 ED System	Ford Transit 2015-On (High Roof / 148" WB / Extended)	126"	65"	154"	8"	Bolt-On	750 lbs.

As shown (EC)
Fog lights not incl.




As shown (FD)
Fog lights not included



CHASECAR7

Location: Port Wentworth, GA

FC System



*Crossbar quantity may vary depending on vehicle make and model.


PART #	Description	Fitment	Dim1	Dim2	Dim3	Dim4	Install	Capacity
H3003FC05B	H2.1 FC System	Mercedes Sprinter 2007-On (Low Roof / 144" WB / All trims)	142"	65"	170"	8"	Tracks Req*	750 lbs.
H3010FC04B	H2.1 FC System	Mercedes Sprinter 2007-On (High Roof / 144" WB / All trims)	126"	60"	154"	8"	Tracks Req*	750 lbs.
H3004FC07B	H2.1 FC System	Mercedes Sprinter 2007-On (High Roof / 170" WB / All trims)	173"	60"	200"	8"	Tracks Req*	750 lbs.
H3005FC08B	H2.1 FC System	Mercedes Sprinter 2007-On (High Roof / 170" WB / Ext)	189"	60"	216"	8"	Tracks Req*	750 lbs.

*Tracks required. See page 68.



@mattlramond

FD System



*Crossbar quantity may vary depending on vehicle make and model.

PART #	Description	Fitment	Dim1	Dim2	Dim3	Dim4	Install	Capacity
H1505FD04B	H2.1 FD System	Chevrolet Express 1996-On (135" WB / Regular)	126"	60"	156"	11"	Clamp-On	750 lbs.
H1506FD05B	H2.1 FD System	Chevrolet Express 1996-On (155" WB / Extended)	142"	60"	172"	11"	Clamp-On	750 lbs.
H1805FD04B	H2.1 FD System	Ford Econoline 1992-2014 (Regular)	126"	65"	156"	11"	Clamp-On	750 lbs.
H1806FD05B	H2.1 FD System	Ford Econoline 1992-2014 (Extended)	142"	65"	172"	11"	Clamp-On	750 lbs.
H1808FD04B	H2.1 FD System	Ford Transit 2015-On (Low Roof / 130" WB / All trims)	126"	65"	156"	7"	Bolt-On	750 lbs.
H1809FD03B	H2.1 FD System	Ford Transit 2015-On (Medium Roof / 130" WB / All trims)	110"	65"	140"	8"	Bolt-On	750 lbs.
H1810FD05B	H2.1 FD System	Ford Transit 2015-On (Low Roof / 148" WB / All trims)	142"	65"	172"	7"	Bolt-On	750 lbs.
H1811FD04B	H2.1 FD System	Ford Transit 2015-On (Medium Roof / 148" WB / All trims)	126"	65"	156"	8"	Bolt-On	750 lbs.
H1812FD03B	H2.1 FD System	Ford Transit 2015-On (High Roof / 148" WB / All trims)	110"	65"	140"	8"	Bolt-On	750 lbs.
H1813FD05B	H2.1 FD System	Ford Transit 2015-On (High Roof / 148" WB / Extended)	142"	65"	172"	8"	Bolt-On	750 lbs.
H2004FD04B	H2.1 FD System	GMC Savana 1996-On (135" WB / Regular)	126"	60"	156"	11"	Clamp-On	750 lbs.
H2005FD05B	H2.1 FD System	GMC Savana 1996-On (155" WB / Extended)	142"	60"	172"	11"	Clamp-On	750 lbs.



PART #	Color	Material	Description	Fitment	Figure	Capacity
A00001000B	Black	Aluminum	Upper Crossbar (Fits All)	H2.1	a	75 lbs.
A20	Black	Steel	Adjustable Guide (Sold in pairs)	H2.1	b	75 lbs.
A285-50B	Black	Aluminum	50" x 2.25" x 1"x crossbars	H2.1	c	100 lbs.
A285-60B	Black	Aluminum	60" x 2.25" x 1"x crossbars	H2.1	c	100 lbs.
A285-65B	Black	Aluminum	65" x 2.25" x 1"x crossbars	H2.1	c	100 lbs.
A57B	Black	Steel	Ladder Stopper	H2.1	d	75 lbs.
A67	Black	Steel / Rubber	Kayak Holder (4pc with Cam buckle Strap)	H2.1	e	50 lbs.
A90	Stainless	Stainless Steel	4 Pack 1.25" Eyehooks	H2.1	f	75 lbs.
BG564	Black	Rubber	Bar Guard 64"	H2.1	c	n/a
BG772	Black	Rubber	Bar Guard 72" (Cushion)	H2.1	g	n/a
H00002930B	Black	Aluminum	Bridge 47.25" (L) 12" crossbars (2)	H2.1	h	150 lbs.
H00004931B	Black	Aluminum	Bridge 63" (L) 20" crossbars (4)	H2.1	h	150 lbs.



See
page
40

PART #	Color	Material	Description	Fitment	Figure	Capacity
H0006194B	Black	Aluminum	Universal Adaptor Plate (Sold in pairs)	H2.1	i	50 lbs.
H0000BX24B	Black	Aluminum	Roller Kit (Fits 50" crossbars)	H2.1	j	150 lbs.
H0000BX27B	Black	Aluminum	Roller Kit (Fits 60" crossbars)	H2.1	j	150 lbs.
H0000BX32B	Black	Aluminum	Roller Kit (Fits 65" crossbars)	H2.1	j	150 lbs.
H0000XP28B	Black	Aluminum	15.75" Extension Kit + (1) 50" crossbar	H2.1	k	75 lbs.
H0000XR28B	Black	Aluminum	15.75" Extension Kit + (1) 60" crossbar	H2.1	k	75 lbs.
H0000XS28B	Black	Aluminum	15.75" Extension Kit + (1) 65" crossbar	H2.1	k	75 lbs.
RTDH2K	Black	Stainless Steel	Ratchet Tie-Down	H2.1	f	250 lbs.
W0000G015B	Black	Rubber	Air Breaker (Noise Reducer)	H2.1	l	n/a

H2.1-SERIES

ACCESSORIES



As shown (FD) w/side ladder

Location: Port Canaveral, FL



CHASECAR7

PART #	Color	Material	Description	Fitment	Install	Capacity
L1820X1D1B	Black	Aluminum	H2.1 Side Ladder	Ford Transit 2015-on (Low Roof / All models / All trims)	Bolt-on*	275 lbs
L1821X1D2B	Black	Aluminum	H2.1 Side Ladder	Ford Transit 2015-on (Medium Roof / All models / All trims)	Bolt-on*	275 lbs
L1822X1D3B	Black	Aluminum	H2.1 Side Ladder	Ford Transit 2015-on (High Roof / All models / All trims)	Bolt-on*	275 lbs
L3509X1D1B	Black	Aluminum	H2.1 Side Ladder	RAM ProMaster 2013-on (Low Roof / All models / All trims)	Bolt-on*	275 lbs
L3510X1D3B	Black	Aluminum	H2.1 Side Ladder	RAM ProMaster 2013-on (High Roof / All models / All trims)	Bolt-on*	275 lbs
L3301X1D1B	Black	Aluminum	H2.1 Side Ladder	Nissan NV Cargo 2012-2021 (Low Roof / All trims)	Bolt-on*	275 lbs
L3302X1D3B	Black	Aluminum	H2.1 Side Ladder	Nissan NV Cargo 2012-2021 (High Roof / All trims)	Bolt-on*	275 lbs
L3011X1D1B	Black	Aluminum	H2.1 Side Ladder	Mercedes Sprinter 2007-on (Low Roof / All models / All trims)	Bolt-on*	275 lbs
L3012X1D3B	Black	Aluminum	H2.1 Side Ladder	Mercedes Sprinter 2007-on (High Roof / All models / All trims)	Bolt-on*	275 lbs
L1509X1D1B	Black	Aluminum	H2.1 Side Ladder	Chevrolet Express 1996-on (All models / All trims)	Bolt-on*	275 lbs
L1823X1D1B	Black	Aluminum	H2.1 Side Ladder	Ford Econoline 1992-2014 (All models / All trims)	Bolt-on*	275 lbs
L2007X1D1B	Black	Aluminum	H2.1 Side Ladder	GMC Savana 1996-on (All trims)	Bolt-on*	275 lbs
L1815X1D1B	Black	Aluminum	H2.1 Side Ladder	Ford Transit Connect 2008-2013 (All trims)	Bolt-on*	275 lbs
L1824X1D1B	Black	Aluminum	H2.1 Side Ladder	Ford Transit Connect 2014-on (All models / All trims)	Bolt-on*	275 lbs
L3303X1D1B	Black	Aluminum	H2.1 Side Ladder	Nissan NV200 2012-2021 (All trims)	Bolt-on*	275 lbs
L3507X1D1B	Black	Aluminum	H2.1 Side Ladder	RAM ProMaster City 2015-current (All trims)	Bolt-on*	275 lbs

*Drilling required on lower mounting points




H3-SERIES

The H3 Series of cargo racks is the no-compromise solution for those who want a sleek, lightweight - yet rigid system. The all aluminum design offers both direct-bolt-on and clamp-on applications for fullsize vans. Each bar has a load capacity of 250 (evenly distributed) pounds, making it easy for your van to carry everything from ladders and lumber, to mountain bikes and canoes. The bars come standard at 65 inches in length, providing your van with roof-top real estate it's never had before. Our H3 bars also come standard with built-in accessory channels that can fit a variety of accessories such as bike mounts, ladder guides, kayak holders, roof box brackets, and barguards. Each mount of our H3 system also features two $\frac{3}{4}$ " eye-hooks that allow for quick and easy tie down locations and bungee hook points. This system is available in Black, White or Silver. The H3 system is tough and versatile - ready to get you to the campsite or job site.



WHAT'S IN THE BOX?



2 BAR SYSTEM

Includes:
2X Cross Bars 4X Endcaps
4X Mounts 1X Hardware



3 BAR SYSTEM


Includes:
3X Cross Bars 6X Endcaps
6X Mounts 1X Hardware



@shanevonmulligan

Location: Unknown

PART #	Color	Material	Description	Fitment	Install	Capacity
H3202B	Black	Aluminum	H3 2-Bar System	Chevrolet Express 1996-On (All trims)	Clamp-On	500 lbs.
H3202S	Silver	Aluminum	H3 2-Bar System	Chevrolet Express 1996-On (All trims)	Clamp-On	500 lbs.
H3202W	White	Aluminum	H3 2-Bar System	Chevrolet Express 1996-On (All trims)	Clamp-On	500 lbs.
H3218B	Black	Aluminum	H3 3-Bar System	Chevrolet Express 1996-On (All trims)	Clamp-On	750 lbs.
H3218S	Silver	Aluminum	H3 3-Bar System	Chevrolet Express 1996-On (All trims)	Clamp-On	750 lbs.
H3218W	White	Aluminum	H3 3-Bar System	Chevrolet Express 1996-On (All trims)	Clamp-On	750 lbs.
H3210B	Black	Aluminum	H3 2-Bar System	Dodge RAM VAN 1981-2007 (All trims)	Clamp-On	500 lbs.
H3210S	Silver	Aluminum	H3 2-Bar System	Dodge RAM VAN 1981-2007 (All trims)	Clamp-On	500 lbs.
H3210W	White	Aluminum	H3 2-Bar System	Dodge RAM VAN 1981-2007 (All trims)	Clamp-On	500 lbs.
H3226B	Black	Aluminum	H3 3-Bar System	Dodge RAM Van 1981-2007 (All trims)	Clamp-On	750 lbs.
H3226S	Silver	Aluminum	H3 3-Bar System	Dodge RAM Van 1981-2007 (All trims)	Clamp-On	750 lbs.
H3226W	White	Aluminum	H3 3-Bar System	Dodge RAM Van 1981-2007 (All trims)	Clamp-On	750 lbs.
H3214B	Black	Aluminum	H3 2-Bar System	Ford Econoline 1992-2014 (All trims)	Clamp-On	500 lbs.
H3214S	Silver	Aluminum	H3 2-Bar System	Ford Econoline 1992-2014 (All trims)	Clamp-On	500 lbs.
H3214W	White	Aluminum	H3 2-Bar System	Ford Econoline 1992-2014 (All trims)	Clamp-On	500 lbs.
H3230B	Black	Aluminum	H3 3-Bar System	Ford Econoline 1992-2014 (All trims)	Clamp-On	750 lbs.
H3230S	Silver	Aluminum	H3 3-Bar System	Ford Econoline 1992-2014 (All trims)	Clamp-On	750 lbs.
H3230W	White	Aluminum	H3 3-Bar System	Ford Econoline 1992-2014 (All trims)	Clamp-On	750 lbs.
H3209B	Black	Aluminum	H3 2-Bar System	GMC Savana 1996-On (All trims)	Clamp-On	500 lbs.
H3209S	Silver	Aluminum	H3 2-Bar System	GMC Savana 1996-On (All trims)	Clamp-On	500 lbs.
H3209W	White	Aluminum	H3 2-Bar System	GMC Savana 1996-On (All trims)	Clamp-On	500 lbs.
H3225B	Black	Aluminum	H3 3-Bar System	GMC Savana 1996-On (All trims)	Clamp-On	750 lbs.
H3225S	Silver	Aluminum	H3 3-Bar System	GMC Savana 1996-On (All trims)	Clamp-On	750 lbs.
H3225W	White	Aluminum	H3 3-Bar System	GMC Savana 1996-On (All trims)	Clamp-On	750 lbs.




@austinclague1

Location: Unknown



See Page 46

WHAT'S IN THE BOX?



2 BAR SYSTEM

Includes:
2X Cross Bars 4X Endcaps
4X Mounts 1X Hardware



3 BAR SYSTEM

Includes:
3X Cross Bars 6X Endcaps
6X Mounts 1X Hardware



PART #	Color	Material	Description	Fitment	Install	Capacity
H3702B	Black	Aluminum	H3 2-Bar System	Ford Transit 2015-On (All trims)	Bolt-On	500 lbs.
H3702S	Silver	Aluminum	H3 2-Bar System	Ford Transit 2015-On (All trims)	Bolt-On	500 lbs.
H3702W	White	Aluminum	H3 2-Bar System	Ford Transit 2015-On (All trims)	Bolt-On	500 lbs.
H3703B	Black	Aluminum	H3 3-Bar System	Ford Transit 2015-On (All trims)	Bolt-On	750 lbs.
H3703S	Silver	Aluminum	H3 3-Bar System	Ford Transit 2015-On (All trims)	Bolt-On	750 lbs.
H3703W	White	Aluminum	H3 3-Bar System	Ford Transit 2015-On (All trims)	Bolt-On	750 lbs.
H3315B	Black	Aluminum	H3 2-Bar System	Mercedes Sprinter 2007-On (Low Roof / All trims)	Tracks Required*	500 lbs.
H3315S	Silver	Aluminum	H3 2-Bar System	Mercedes Sprinter 2007-On (Low Roof / All trims)	Tracks Required*	500 lbs.
H3315W	White	Aluminum	H3 2-Bar System	Mercedes Sprinter 2007-On (Low Roof / All trims)	Tracks Required*	500 lbs.
H3316B	Black	Aluminum	H3 3-Bar System	Mercedes Sprinter 2007-On (Low Roof / All trims)	Tracks Required*	750 lbs.
H3316S	Silver	Aluminum	H3 3-Bar System	Mercedes Sprinter 2007-On (Low Roof / All trims)	Tracks Required*	750 lbs.
H3316W	White	Aluminum	H3 3-Bar System	Mercedes Sprinter 2007-On (Low Roof / All trims)	Tracks Required*	750 lbs.
H3317B**	Black	Aluminum	H3 2-Bar System	Mercedes Sprinter 2007-On (High Roof / All trims)	Tracks Required*	500 lbs.
H3317S**	Silver	Aluminum	H3 2-Bar System	Mercedes Sprinter 2007-On (High Roof / All trims)	Tracks Required*	500 lbs.
H3317W**	White	Aluminum	H3 2-Bar System	Mercedes Sprinter 2007-On (High Roof / All trims)	Tracks Required*	500 lbs.
H3318B**	Black	Aluminum	H3 3-Bar System	Mercedes Sprinter 2007-On (High Roof / All trims)	Tracks Required*	750 lbs.
H3318S**	Silver	Aluminum	H3 3-Bar System	Mercedes Sprinter 2007-On (High Roof / All trims)	Tracks Required*	750 lbs.
H3318W**	White	Aluminum	H3 3-Bar System	Mercedes Sprinter 2007-On (High Roof / All trims)	Tracks Required*	750 lbs.
H3325B	Black	Aluminum	H3 2-Bar System	Nissan NV Cargo 2012-2021 (All trims)	Bolt-On	500 lbs.
H3325S	Silver	Aluminum	H3 2-Bar System	Nissan NV Cargo 2012-2021 (All trims)	Bolt-On	500 lbs.
H3325W	White	Aluminum	H3 2-Bar System	Nissan NV Cargo 2012-2021 (All trims)	Bolt-On	500 lbs.
H3326B	Black	Aluminum	H3 3-Bar System	Nissan NV Cargo 2012-2021 (All trims)	Bolt-On	750 lbs.
H3326S	Silver	Aluminum	H3 3-Bar System	Nissan NV Cargo 2012-2021 (All trims)	Bolt-On	750 lbs.
H3326W	White	Aluminum	H3 3-Bar System	Nissan NV Cargo 2012-2021 (All trims)	Bolt-On	750 lbs.
H3542B	Black	Aluminum	H3 2-Bar System	RAM ProMaster 2013-On (All trims)	Bolt-On	500 lbs.
H3542S	Silver	Aluminum	H3 2-Bar System	RAM ProMaster 2013-On (All trims)	Bolt-On	500 lbs.
H3542W	White	Aluminum	H3 2-Bar System	RAM ProMaster 2013-On (All trims)	Bolt-On	500 lbs.
H3543B	Black	Aluminum	H3 3-Bar System	RAM ProMaster 2013-On (All trims)	Bolt-On	750 lbs.
H3543S	Silver	Aluminum	H3 3-Bar System	RAM ProMaster 2013-On (All trims)	Bolt-On	750 lbs.
H3543W	White	Aluminum	H3 3-Bar System	RAM ProMaster 2013-On (All trims)	Bolt-On	750 lbs.

*Tracks required. See page 68.

** Includes 55" cross bars.

H3-SERIES

ACCESSORIES



PART #	Color	Material	Description	Fitment	Figure	Capacity
A03	Black	Steel / Rubber	Side Support (Sold in pairs)	H3-Series	a	75 lbs.
A20	Black	Steel / Rubber	Adjustable Guide (Sold in pairs)	H3-Series	b	75 lbs.
A57B	Black	Steel / Rubber	Ladder Stopper	H3-Series	c	75 lbs.
A67	Black	Steel / Rubber	Kayak holder (4pc with cam-buckle strap)	H3-Series	d	50 lbs.
A69	Black	Nylon	Hook & Loop Strap	Universal	e	75 lbs.
A90	Stainless	Stainless	4 Pack 1.25" Eyehooks	H3-Series	f	75 lbs.
BG772	Black	Rubber	72" Bar Guard (Cushion)	H3-Series	g	100 lbs.
RTDH3K	Black	Stainless/Aluminum	Ratchet Tie-Down	H3-Series	h	250 lbs.
W0000G015B	Black	Rubber	Air Breaker (Noise Reducer)	H3-Series	i	n/a





J-SERIES

If lightweight, aerodynamic, load-bearing is what you need - then the J-series is for you! The all aluminum design offers both direct-bolt-on and clamp-on applications for compact vans. Each bar has a load capacity of 200 (evenly distributed) pounds, making it easy for your van to carry everything from ladders and lumber, to mountain bikes and canoes. The bars come standard at 50 inches in length, providing your van with roof-top real estate it's never had before. Our J-Series bars also come standard with built-in accessory channels that can fit a variety of accessories such as bike mounts, ladder guides, kayak holders, roof box brackets, and bar-guards. This system is available in Black, White or Silver. The J-Series rack is tough and versatile - ready to get you to the campsite or job site in a low profile package.





WHAT'S IN THE BOX?



J1000 2 BAR

Includes:
2X Cross Bars
4X Mounts
4X Endcaps
1X Hardware




J1000 3 BAR


Includes:
3X Cross Bars
6X Mounts
6X Endcaps
1X Hardware



J1000 Series




PART #	Color	Material	Description	Fitment	Install	Capacity
J1050B	Black	Aluminum	J1000 2-Bar 50" System	Ford Transit Connect 2008-2013 (All trims)	Bolt-On	400 lbs.
J1050S	Silver	Aluminum	J1000 2-Bar 50" System	Ford Transit Connect 2008-2013 (All trims)	Bolt-On	400 lbs.
J1050W	White	Aluminum	J1000 2-Bar 50" System	Ford Transit Connect 2008-2013 (All trims)	Bolt-On	400 lbs.
J1202B	Black	Aluminum	J1000 2-Bar 50" System	Ford Transit Connect 2014-On (All trims)	Bolt-On	400 lbs.
J1202S	Silver	Aluminum	J1000 2-Bar 50" System	Ford Transit Connect 2014-On (All trims)	Bolt-On	400 lbs.
J1202W	White	Aluminum	J1000 2-Bar 50" System	Ford Transit Connect 2014-On (All trims)	Bolt-On	400 lbs.
J1203B	Black	Aluminum	J1000 3-Bar 50" System	Ford Transit Connect 2014-On (All trims)	Bolt-On	400 lbs.
J1203S	Silver	Aluminum	J1000 3-Bar 50" System	Ford Transit Connect 2014-On (All trims)	Bolt-On	400 lbs.
J1203W	White	Aluminum	J1000 3-Bar 50" System	Ford Transit Connect 2014-On (All trims)	Bolt-On	400 lbs.
J1510B	Black	Aluminum	J1000 2-Bar 50" System	Nissan NV200 2014-2021 (All trims)	Bolt-On	400 lbs.
J1510S	Silver	Aluminum	J1000 2-Bar 50" System	Nissan NV200 2014-2021 (All trims)	Bolt-On	400 lbs.
J1510W	White	Aluminum	J1000 2-Bar 50" System	Nissan NV200 2014-2021 (All trims)	Bolt-On	400 lbs.
J1520B	Black	Aluminum	J1000 3-Bar 50" System	Nissan NV200 2014-2021 (All trims)	Bolt-On	400 lbs.
J1520S	Silver	Aluminum	J1000 3-Bar 50" System	Nissan NV200 2014-2021 (All trims)	Bolt-On	400 lbs.
J1520W	White	Aluminum	J1000 3-Bar 50" System	Nissan NV200 2014-2021 (All trims)	Bolt-On	400 lbs.



PART #	Color	Material	Description	Fitment	Install	Capacity
J1000B	Black	Aluminum	J1000 2-Bar 50" System	Midsize Universal	Drilling Required	400 lbs.
J1000S	Silver	Aluminum	J1000 2-Bar 50" System	Midsize Universal	Drilling Required	400 lbs.
J1000W	White	Aluminum	J1000 2-Bar 50" System	Midsize Universal	Drilling Required	400 lbs.
J1005B	Black	Aluminum	J1000 2-Bar 60" System	Midsize Universal	Drilling Required	400 lbs.
J1005S	Silver	Aluminum	J1000 2-Bar 60" System	Midsize Universal	Drilling Required	400 lbs.
J1005W	White	Aluminum	J1000 2-Bar 60" System	Midsize Universal	Drilling Required	400 lbs.
J1032B	Black	Aluminum	J1000 2-Bar 50" System	Pickup Topper & Cap Universal	Drilling Required	400 lbs.
J1032S	Silver	Aluminum	J1000 2-Bar 50" System	Pickup Topper & Cap Universal	Drilling Required	400 lbs.
J1032W	White	Aluminum	J1000 2-Bar 50" System	Pickup Topper & Cap Universal	Drilling Required	400 lbs.
J1024B	Black	Aluminum	J1000 2-Bar 60" System	Pickup Topper & Cap Universal	Drilling Required	400 lbs.
J1024S	Silver	Aluminum	J1000 2-Bar 60" System	Pickup Topper & Cap Universal	Drilling Required	400 lbs.
J1024W	White	Aluminum	J1000 2-Bar 60" System	Pickup Topper & Cap Universal	Drilling Required	400 lbs.
J1542B	Black	Aluminum	J1000 2-Bar 50" System	RAM ProMaster City 2015-On (All trims)	Bolt-On	400 lbs.
J1542S	Silver	Aluminum	J1000 2-Bar 50" System	RAM ProMaster City 2015-On (All trims)	Bolt-On	400 lbs.
J1542W	White	Aluminum	J1000 2-Bar 50" System	RAM ProMaster City 2015-On (All trims)	Bolt-On	400 lbs.
J1547B	Black	Aluminum	J1000 3-Bar 50" System	RAM ProMaster City 2015-On (All trims)	Bolt-On	400 lbs.
J1547S	Silver	Aluminum	J1000 3-Bar 50" System	RAM ProMaster City 2015-On (All trims)	Bolt-On	400 lbs.
J1547W	White	Aluminum	J1000 3-Bar 50" System	RAM ProMaster City 2015-On (All trims)	Bolt-On	400 lbs.



WHAT'S IN THE BOX?



J2000 2 BAR

Includes:
2X Cross Bars
4X Mounts
4X Side Supports
1X Ladder Stopper
1X Hook & Loop Strap
1X Hardware





J2000 3 BAR



Includes:
3X Cross Bars
6X Mounts
6X Side Supports
2X Ladder Stopper
2X Hook & Loop Strap
1X Hardware



J2000 Series



PART #	Color	Material	Description	Fitment	Install	Capacity
J2050B	Black	Aluminum	J2000 2-Bar 50" System	Ford Transit Connect 2008-2013 (All trims)	Bolt-On	400 lbs.
J2050S	Silver	Aluminum	J2000 2-Bar 50" System	Ford Transit Connect 2008-2013 (All trims)	Bolt-On	400 lbs.
J2050W	White	Aluminum	J2000 2-Bar 50" System	Ford Transit Connect 2008-2013 (All trims)	Bolt-On	400 lbs.
J2202B	Black	Aluminum	J2000 2-Bar 50" System	Ford Transit Connect 2014-On (All trims)	Bolt-On	400 lbs.
J2202S	Silver	Aluminum	J2000 2-Bar 50" System	Ford Transit Connect 2014-On (All trims)	Bolt-On	400 lbs.
J2202W	White	Aluminum	J2000 2-Bar 50" System	Ford Transit Connect 2014-On (All trims)	Bolt-On	400 lbs.
J2203B	Black	Aluminum	J2000 3-Bar 50" System	Ford Transit Connect 2014-On (All trims)	Bolt-On	400 lbs.
J2203S	Silver	Aluminum	J2000 3-Bar 50" System	Ford Transit Connect 2014-On (All trims)	Bolt-On	400 lbs.
J2203W	White	Aluminum	J2000 3-Bar 50" System	Ford Transit Connect 2014-On (All trims)	Bolt-On	400 lbs.
J2510B	Black	Aluminum	J2000 2-Bar 50" System	Nissan NV200 2014-2021 (All trims)	Bolt-On	400 lbs.
J2510S	Silver	Aluminum	J2000 2-Bar 50" System	Nissan NV200 2014-2021 (All trims)	Bolt-On	400 lbs.
J2510W	White	Aluminum	J2000 2-Bar 50" System	Nissan NV200 2014-2021 (All trims)	Bolt-On	400 lbs.
J2520B	Black	Aluminum	J2000 3-Bar 50" System	Nissan NV200 2014-2021 (All trims)	Bolt-On	400 lbs.
J2520S	Silver	Aluminum	J2000 3-Bar 50" System	Nissan NV200 2014-2021 (All trims)	Bolt-On	400 lbs.
J2520W	White	Aluminum	J2000 3-Bar 50" System	Nissan NV200 2014-2021 (All trims)	Bolt-On	400 lbs.



PART #	Color	Material	Description	Fitment	Install	Capacity
J2000B	Black	Aluminum	J2000 2-Bar 50" System	Midsized Van / Universal	Drilling Required	400 lbs.
J2000S	Silver	Aluminum	J2000 2-Bar 50" System	Midsized Van / Universal	Drilling Required	400 lbs.
J2000W	White	Aluminum	J2000 2-Bar 50" System	Midsized Van / Universal	Drilling Required	400 lbs.
J2005B	Black	Aluminum	J2000 2-Bar 60" System	Midsized Van / Universal	Drilling Required	400 lbs.
J2005S	Silver	Aluminum	J2000 2-Bar 60" System	Midsized Van / Universal	Drilling Required	400 lbs.
J2005W	White	Aluminum	J2000 2-Bar 60" System	Midsized Van / Universal	Drilling Required	400 lbs.
J2542B	Black	Aluminum	J2000 2-Bar 50" System	RAM ProMaster City 2015-On (All trims)*	Bolt-On	400 lbs.
J2542S	Silver	Aluminum	J2000 2-Bar 50" System	RAM ProMaster City 2015-On (All trims)*	Bolt-On	400 lbs.
J2542W	White	Aluminum	J2000 2-Bar 50" System	RAM ProMaster City 2015-On (All trims)*	Bolt-On	400 lbs.
J2547B	Black	Aluminum	J2000 3-Bar 50" System	RAM ProMaster City 2015-On (All trims)*	Bolt-On	400 lbs.
J2547S	Silver	Aluminum	J2000 3-Bar 50" System	RAM ProMaster City 2015-On (All trims)*	Bolt-On	400 lbs.
J2547W	White	Aluminum	J2000 3-Bar 50" System	RAM ProMaster City 2015-On (All trims)*	Bolt-On	400 lbs.

J-SERIES

ACCESSORIES



PART #	Color	Material	Description	Fitment	Figure	Capacity
A04	Black	Steel / Rubber	Side Support (Sold in pairs)	J-Series	a	75 lbs.
A20	Black	Steel / Rubber	Adjustable Guide (Sold in pairs)	J-Series	b	75 lbs.
A57B	Black	Steel / Rubber	Ladder Stopper	J-Series	c	75 lbs.
A67	Black	Steel / Rubber	Kayak holder (4pc with Cam Buckle strap)	J-Series	d	50 lbs.
A69	Black	Nylon	Hook & Loop Strap	Universal	e	75 lbs.
A90	Stainless	Stainless	4 Pack 1.25" Eyehooks	J-Series	f	75 lbs.
BG772	Black	Rubber	Bar Guard 72" (Cushion)	J-Series	g	100 lbs.
RTDH3K	Black	Stainless/Aluminum	Ratchet Tie-Down	J-Series	h	250 lbs.
W0000G015B	Black	Rubber	Air Breaker (Noise Reducer)	J-Series	i	n/a







© meticulous_auto_detailing


Location: Lake Hood, AK

P-SERIES

Take your truck's carrying capacity to the next level with the Vantech P-Series rack! Rugged by design, this heavy-duty aluminum rack system features adjustable height, and enough load capacity to carry everything from surfboards and ladders, to tents and couches. With several mounting solutions, this rack fits on most trucks and provides increased cargo space without compromising your truck's original bed area. This system can be mounted via OEM tracks, aftermarket Vantech tracks, clamped onto compatible beds, or with drill-through holes via our universal fit bases.




Lightweight



Adjustable






HONDA RIDGELINE 2005-16

- Integrated Ridgeline bedrail adaptor to secure system onto factory slots
- Angled uprights to match tilted Ridgeline bed rails
- Includes special Ridgeline bed rail adaptor

DIMENSIONS



PART #	Color	Material	Description	Dim1	Dim2	Dim3	Dim4	Fitment	Install	Capacity
P3309B	Black	Aluminum	P-Series w/ Bedrail Adaptor	65"	15 ³ / ₄ "-20 ³ / ₄ "	18 ¹ / ₂ "-23 ¹ / ₂ "	45 ¹ / ₂ "	Honda Ridgeline 2005-16 (All trims)	Bolt-On*	600 lbs.
P3309S	Silver	Aluminum	P-Series w/ Bedrail Adaptor	65"	15 ³ / ₄ "-20 ³ / ₄ "	18 ¹ / ₂ "-23 ¹ / ₂ "	45 ¹ / ₂ "	Honda Ridgeline 2005-16 (All trims)	Bolt-On*	600 lbs.

*Drilling required on plastic bedrail cover.






HONDA RIDGELINE 2017-ON

- Integrated Ridgeline bedrail adaptor to secure system onto factory Bedrail mounting points
- Includes special Ridgeline 56" tracks

DIMENSIONS



PART #	Color	Material	Description	Dim1	Dim2	Dim3	Fitment	Install	Capacity
P3319B	Black	Aluminum	P-Series w/ Bedrail Adaptor	65"	21"-27.5"	56"	Honda Ridgeline 2017-On (All trims)	Bolt-On	500 lbs.
P3319S	Silver	Aluminum	P-Series w/ Bedrail Adaptor	65"	21"-27.5"	56"	Honda Ridgeline 2017-On (All trims)	Bolt-On	500 lbs.






RAM RAMBOX 2012-ON

- Slides into factory RAMBOX tracks
- Adjustable upright along factory tracks
- Adjustable height 21" - 28"

DIMENSIONS



PART #	Color	Material	Description	Fitment	Dim1	Dim2	Install	Capacity
P3510B	Black	Aluminum	P-Series w/ factory track adaptor	RAM 1500 / 2500 / 3500 2012-On (Ram-Box)	55"	21"-27.5"	Factory Track	300 lbs.
P3510S	Silver	Aluminum	P-Series w/ factory track adaptor	RAM 1500 / 2500 / 3500 2012-On (Ram-Box)	55"	21"-27.5"	Factory Track	300 lbs.



@meticulous_auto_detailing

Location: Unknown



Bolt-On
Drilling Required


Clamp-On
No Drilling Required



PICKUP TRUCK

Rugged by design, this heavy-duty aluminum rack system features adjustable height, and enough load capacity to carry everything from surfboards and ladders, to tents and couches. With 2 mounting solutions, this rack fits on most trucks and provides increased cargo space without compromising your truck's original bed area. This system can be clamped onto compatible beds, or with drill-through holes via our universal fit bases.

DIMENSIONS



PART #	Color	Material	Description	Fitment	Dim 1	Dim 2	Install	Capacity
P3001B	Black	Aluminum	P-Series Clamp-On System	Universal Pickup Trucks	65"	21"-27.5"	Clamp-On	750 lbs.
P3001S	Silver	Aluminum	P-Series Clamp-On System	Universal Pickup Trucks	65"	21"-27.5"	Clamp-On	750 lbs.
P3002B	Black	Aluminum	P-Series Clamp-On System	Universal Pickup Trucks	72"	21"-27.5"	Clamp-On	750 lbs.
P3002S	Silver	Aluminum	P-Series Clamp-On System	Universal Pickup Trucks	72"	21"-27.5"	Clamp-On	750 lbs.
P3051B	Black	Aluminum	P-Series Bolt-On System	Universal Pickup Trucks	65"	21"-27.5"	Drilling Required	750 lbs.
P3051S	Silver	Aluminum	P-Series Bolt-On System	Universal Pickup Trucks	65"	21"-27.5"	Drilling Required	750 lbs.
P3052B	Black	Aluminum	P-Series Bolt-On System	Universal Pickup Trucks	72"	21"-27.5"	Drilling Required	750 lbs.
P3052S	Silver	Aluminum	P-Series Bolt-On System	Universal Pickup Trucks	72"	21"-27.5"	Drilling Required	750 lbs.

P-SERIES


ACCESSORIES








PART #	Color	Material	Description	Fitment	Figure	Capacity
A03	Black	Steel / Rubber	Side Support (Sold in pairs)	P-Series	a	75 lbs.
A20	Black	Steel / Rubber	Adjustable Guide (Sold in pairs)	P-Series	b	75 lbs.
A57B	Black	Steel / Rubber	Ladder Stopper	P-Series	c	75 lbs.
A67	Black	Steel / Rubber	Kayak holder (4pc with cam-buckle strap)	P-Series	d	50 lbs.
A69	Black	Nylon	Hook & Loop Strap	Universal	e	75 lbs.
A90	Stainless	Stainless	4 Pack 1.25" Eyehooks	P-Series	f	75 lbs.
BG772	Black	Rubber	Bar Guard 72" (Cushion)	P-Series	g	100 lbs.
RTDH3K	Black	Stainless/Aluminum	Ratchet Tie-Down	P-Series	h	250 lbs.

ACCESSORIES

CONDUIT CARRIER



DIMENSIONS



PART #	Color	Description	Fitment	Install	Figure
A34B	Black	6" Conduit Carrier Hatch & Cap*	H3-Series / J-Series	Bolt-On	a
A34S	Silver	6" Conduit Carrier Hatch & Cap*	H3-Series / J-Series	Bolt-On	a
A34W	White	6" Conduit Carrier Hatch & Cap*	H3-Series / J-Series	Bolt-On	a
A35B	Black	6" Conduit Carrier Hatch & Cap (Drilling Required)*	1"-3" (H) Cross Bar	Drilling Required	b
A35S	Silver	6" Conduit Carrier Hatch & Cap (Drilling Required)*	1"-3" (H) Cross Bar	Drilling Required	b
A35W	White	6" Conduit Carrier Hatch & Cap (Drilling Required)*	1"-3" (H) Cross Bar	Drilling Required	b
A37B	Black	6" Conduit Carrier Hatch & Cap*	M-Series	Bolt-On	c
A37S	Silver	6" Conduit Carrier Hatch & Cap*	M-Series	Bolt-On	c
A37W	White	6" Conduit Carrier Hatch & Cap*	M-Series	Bolt-On	c
A40B	Black	6" Conduit Carrier Hatch & Cap*	H1-Series	Bolt-On	d
A40S	Silver	6" Conduit Carrier Hatch & Cap*	H1-Series	Bolt-On	d
A40W	White	6" Conduit Carrier Hatch & Cap*	H1-Series	Bolt-On	d

*See product info page 60



ACCESSORIES


CONDUIT CARRIER



CONDUIT CARRIER





Conduit carriers are essential tools of the trade - and we made sure to offer the best. Most companies use cast aluminum components, which are highly susceptible to quality issues, such as cracking under work conditions. These common failure points put conduits and pipes at risk, and prevent carriers from being watertight. VantechUSA manufactures components with pressed aluminum. This manufacturing process allows for consistent strength, as well as a much better surface for our rubber gasket to seat properly, which keeps your pipes and conduits safe without compromising the carrier's longevity. Every 128" Conduit Carrier Tube also includes Vantech's 2-4 divider system - a simple, but powerful way to organize your cargo so you can find your material efficiently! This divider features customizable compartments that divide your carrier into 2, 3 or 4 channels. Spend less time digging for your pipes and conduits, and more time getting the job done!

WHAT'S IN THE BOX?




Includes:

- 1X Hatch & Cap
- 2X Base Brackets & Straps
- 2X Dividers
- 1X 128" Tube Assembly (4pc)
- 1X Installation Kit (See below Fig. a-d)



ACCESSORIES

CONDUIT CARRIER



PART #	Color	Description	Fitment	Install	Figure
CC-101B	Black	6" x 128" Conduit Carrier Hatch & Cap + 2 ▶ 4 Tube	H3-Series / J-Series	Bolt-On	a
CC-101S	Silver	6" x 128" Conduit Carrier Hatch & Cap + 2 ▶ 4 Tube	H3-Series / J-Series	Bolt-On	a
CC-101W	White	6" x 128" Conduit Carrier Hatch & Cap + 2 ▶ 4 Tube	H3-Series / J-Series	Bolt-On	a
CC-102B	Black	6" x 128" Conduit Carrier Hatch & Cap + 2 ▶ 4 Tube	1"-3" (H) Cross Bar	Drilling Required	b
CC-102S	Silver	6" x 128" Conduit Carrier Hatch & Cap + 2 ▶ 4 Tube	1"-3" (H) Cross Bar	Drilling Required	b
CC-102W	White	6" x 128" Conduit Carrier Hatch & Cap + 2 ▶ 4 Tube	1"-3" (H) Cross Bar	Drilling Required	b
CC-103B	Black	6" x 128" Conduit Carrier Hatch & Cap + 2 ▶ 4 Tube	M-Series	Bolt-On	c
CC-103S	Silver	6" x 128" Conduit Carrier Hatch & Cap + 2 ▶ 4 Tube	M-Series	Bolt-On	c
CC-103W	White	6" x 128" Conduit Carrier Hatch & Cap + 2 ▶ 4 Tube	M-Series	Bolt-On	c
CC-104B	Black	6" x 128" Conduit Carrier Hatch & Cap + 2 ▶ 4 Tube	H1-Series	Bolt-On	d
CC-104S	Silver	6" x 128" Conduit Carrier Hatch & Cap + 2 ▶ 4 Tube	H1-Series	Bolt-On	d
CC-104W	White	6" x 128" Conduit Carrier Hatch & Cap + 2 ▶ 4 Tube	H1-Series	Bolt-On	d


ACCESSORIES

ANGLED LADDER

LADDER

What good is roof storage if you can't access it? Vantech USA provides a solution with our line of Rear & Side-Access Ladders. Whether you have a smaller van, or a full-size box truck, these ladders are universal and range in size from 56" to 96". Drilling is required.

DIMENSIONS




PART #	Color	Material	Description	Dim 1	Fitment	Install	Capacity
L001B	Black	Aluminum	Ladder Angled 56" (H)	56"	Universal	Drilling required	275 lbs.
L001S	Silver	Aluminum	Ladder Angled 56" (H)	56"	Universal	Drilling required	275 lbs.
L001W	White	Aluminum	Ladder Angled 56" (H)	56"	Universal	Drilling required	275 lbs.
L003B	Black	Aluminum	Ladder Angled 68" (H)	68"	Universal	Drilling required	275 lbs.
L003S	Silver	Aluminum	Ladder Angled 68" (H)	68"	Universal	Drilling required	275 lbs.
L003W	White	Aluminum	Ladder Angled 68" (H)	68"	Universal	Drilling required	275 lbs.
L004B	Black	Aluminum	Ladder Angled 83" (H)	83"	Universal	Drilling required	275 lbs.
L004S	Silver	Aluminum	Ladder Angled 83" (H)	83"	Universal	Drilling required	275 lbs.
L004W	White	Aluminum	Ladder Angled 83" (H)	83"	Universal	Drilling required	275 lbs.





DIMENSIONS






PART #	Color	Material	Description	Dim 1	Fitment	Install	Capacity
L005B	Black	Aluminum	Ladder Straight 72" (H) Universal	72"	Universal	Drilling required	275 lbs.
L005S	Silver	Aluminum	Ladder Straight 72" (H) Universal	72"	Universal	Drilling required	275 lbs.
L005W	White	Aluminum	Ladder Straight 72" (H) Universal	72"	Universal	Drilling required	275 lbs.
L006B	Black	Aluminum	Ladder Straight 84" (H) Universal	84"	Universal	Drilling required	275 lbs.
L006S	Silver	Aluminum	Ladder Straight 84" (H) Universal	84"	Universal	Drilling required	275 lbs.
L006W	White	Aluminum	Ladder Straight 84" (H) Universal	84"	Universal	Drilling required	275 lbs.
L007B	Black	Aluminum	Ladder Straight 96" (H) Universal	96"	Universal	Drilling required	275 lbs.
L007S	Silver	Aluminum	Ladder Straight 96" (H) Universal	96"	Universal	Drilling required	275 lbs.
L007W	White	Aluminum	Ladder Straight 96" (H) Universal	96"	Universal	Drilling required	275 lbs.

ACCESSORIES

RATCHET TIE-DOWN

RATCHET TIE-DOWN

The Vantech Ratchet Tie-Down system is designed to not only be the best in its class - but to integrate seamlessly into the Vantech USA ecosystem. A heavy duty nylon strap housed in a stainless steel ratchet provides a fully self-contained system that gives your van 12 feet of tie-down power.




PART #	Color	Material	Description	Fitment	Figure	Capacity
RTDH1K	Black	Aluminum / Stainless	12' Ratchet Tie-Down	H1-Series	a	250 lbs.
RTDH2K	Black	Aluminum / Stainless	12' Ratchet Tie-Down	H2.1-Series	b	250 lbs.
RTDH3K	Black	Aluminum / Stainless	12' Ratchet Tie-Down	H3-Series / J-Series / P-Series	c	250 lbs.
RTDM1K	Black	Aluminum / Stainless	12' Ratchet Tie-Down	M-Series	d	250 lbs.



H1 ROLLER

Want to make loading and unloading your H1 rack easier? Want to prevent damage to your roofline, cargo or your rack? Want to reduce the risk of back injury while loading and unloading? The Vantech USA Roller is for you! Designed to fit directly onto your H1 system, the aluminum roller provides a first line of defense for both your cargo and your roof line when it comes to loading and unloading. The roller base can be adjusted in 4-inch increments to adjust its depth for your needs. Save your back, your rack, and your roof line with our roller kit!

DIMENSIONS




PART #	Color	Material	Description	Fitment	Dim 1	Dim 2	Dim 3	Capacity
ROH124-42B	Black	Aluminum	H1 Roller System	H1-series	8" - 20"	42"	47"	75 lbs.
ROH124-42W	White	Aluminum	H1 Roller System	H1-series	8" - 20"	42"	47"	75 lbs
ROH124-45B	Black	Aluminum	H1 Roller System	H1-series	8" - 20"	45"	50"	75 lbs
ROH124-45W	White	Aluminum	H1 Roller System	H1-series	8" - 20"	45"	50"	75 lbs
ROH124-49B	Black	Aluminum	H1 Roller System	H1-series	8" - 20"	49"	54"	75 lbs
ROH124-49W	White	Aluminum	H1 Roller System	H1-series	8" - 20"	49"	54"	75 lbs
ROH124-54B	Black	Aluminum	H1 Roller System	H1-series	8" - 20"	54"	59"	75 lbs
ROH124-54W	White	Aluminum	H1 Roller System	H1-series	8" - 20"	54"	59"	75 lbs
ROH124-57B	Black	Aluminum	H1 Roller System	H1-series	8" - 20"	57"	62"	75 lbs
ROH124-57W	White	Aluminum	H1 Roller System	H1-series	8" - 20"	57"	62"	75 lbs
ROH124-60B	Black	Aluminum	H1 Roller System	H1-series	8" - 20"	60"	65"	75 lbs
ROH124-60W	White	Aluminum	H1 Roller System	H1-series	8" - 20"	60"	65"	75 lbs
ROH124-63B	Black	Aluminum	H1 Roller System	H1-series	8" - 20"	63"	68"	75 lbs
ROH124-63W	White	Aluminum	H1 Roller System	H1-series	8" - 20"	63"	68"	75 lbs
ROH124-72B	Black	Aluminum	H1 Roller System	H1-series	8" - 20"	72"	77"	75 lbs
ROH124-72W	White	Aluminum	H1 Roller System	H1-series	8" - 20"	72"	77"	75 lbs
ROH136-45B	Black	Aluminum	H1 Roller System	H1-series	12" - 32"	45"	50"	75 lbs
ROH136-45W	White	Aluminum	H1 Roller System	H1-series	12" - 32"	45"	50"	75 lbs
ROH136-49B	Black	Aluminum	H1 Roller System	H1-series	12" - 32"	49"	54"	75 lbs
ROH136-49W	White	Aluminum	H1 Roller System	H1-series	12" - 32"	49"	54"	75 lbs
ROH136-54B	Black	Aluminum	H1 Roller System	H1-series	12" - 32"	54"	59"	75 lbs
ROH136-54W	White	Aluminum	H1 Roller System	H1-series	12" - 32"	54"	59"	75 lbs
ROH136-57B	Black	Aluminum	H1 Roller System	H1-series	12" - 32"	57"	62"	75 lbs
ROH136-57W	White	Aluminum	H1 Roller System	H1-series	12" - 32"	57"	62"	75 lbs
ROH136-60B	Black	Aluminum	H1 Roller System	H1-series	12" - 32"	60"	65"	75 lbs
ROH136-60W	White	Aluminum	H1 Roller System	H1-series	12" - 32"	60"	65"	75 lbs
ROH136-63B	Black	Aluminum	H1 Roller System	H1-series	12" - 32"	63"	68"	75 lbs
ROH136-63W	White	Aluminum	H1 Roller System	H1-series	12" - 32"	63"	68"	75 lbs

ACCESSORIES


SHELVING

SHELVING

You can't carry everything on top of your van - even if our racks can handle it! For all the things you need to carry IN your van, Vantech USA offers shelving systems to help you stay organized, and protect your materials. Our shelves are constructed of heavy duty aluminum for the best balance of weight savings, rust resistance, and rigidity. Paired with these shelves are our wood baseboards with a rubber lined surface to absorb vibrations and items sliding.




36" Shelving




PART #	Color	Material	Description	Dim1	Dim2	Dim3	Dim4	Dim5	Dim6	Levels	Fitment
SA3642-2	Silver	Aluminum	Shelving Unit	36"	42"	11"	13"	3 1/4"	21 3/4"	2	Universal
SA3648-2	Silver	Aluminum	Shelving Unit	36"	48"	11"	13"	3 1/4"	21 3/4"	2	Universal
SA3660-2	Silver	Aluminum	Shelving Unit	36"	60"	11"	13"	3 1/4"	21 3/4"	2	Universal

46" Shelving




PART #	Color	Material	Description	Dim1	Dim2	Dim3	Dim4	Dim5	Dim6	Levels	Fitment
SA4636-2	Silver	Aluminum	Shelving Unit	46"	36"	9"	11"	3"	38 1/2"	2	Universal
SA4642-2	Silver	Aluminum	Shelving Unit	46"	42"	9"	11"	3"	38 1/2"	2	Universal
SA4648-2	Silver	Aluminum	Shelving Unit	46"	48"	9"	11"	3"	38 1/2"	2	Universal
SA4660-2	Silver	Aluminum	Shelving Unit	46"	60"	9"	11"	3"	38 1/2"	2	Universal

47" Shelving



PART #	Color	Material	Description	Dim1	Dim2	Dim3	Dim4	Dim5	Dim6	Levels	Fitment
SA4836-3	Silver	Aluminum	Shelving Unit	47"	36"	11"	13"	2 1/4"	29 3/4"	3	Universal
SA4842-3	Silver	Aluminum	Shelving Unit	47"	42"	11"	13"	2 1/4"	29 3/4"	3	Universal
SA4848-3	Silver	Aluminum	Shelving Unit	47"	48"	11"	13"	2 1/4"	29 3/4"	3	Universal
SA4860-3	Silver	Aluminum	Shelving Unit	47"	60"	11"	13"	2 1/4"	29 3/4"	3	Universal
SA4872-3	Silver	Aluminum	Shelving Unit	47"	72"	11"	13"	2 1/4"	29 3/4"	3	Universal
SA4884-3	Silver	Aluminum	Shelving Unit	47"	84"	11"	13"	2 1/4"	29 3/4"	3	Universal
SA4890-3	Silver	Aluminum	Shelving Unit	47"	90"	11"	13"	2 1/4"	29 3/4"	3	Universal

60" Shelving




PART #	Color	Material	Description	Dim1	Dim2	Dim3	Dim4	Dim5	Dim6	Levels	Fitment
SA6036-4	Silver	Aluminum	Shelving Unit	60"	36"	11"	13"	2"	29 3/4"	4	Universal
SA6042-4	Silver	Aluminum	Shelving Unit	60"	42"	11"	13"	2"	29 3/4"	4	Universal
SA6048-4	Silver	Aluminum	Shelving Unit	60"	48"	11"	13"	2"	29 3/4"	4	Universal
SA6060-4	Silver	Aluminum	Shelving Unit	60"	60"	11"	13"	2"	29 3/4"	4	Universal
SA6072-4	Silver	Aluminum	Shelving Unit	60"	72"	11"	13"	2"	29 3/4"	4	Universal
SA6084-4	Silver	Aluminum	Shelving Unit	60"	84"	11"	13"	2"	29 3/4"	4	Universal
SA6090-4	Silver	Aluminum	Shelving Unit	60"	90"	11"	13"	2"	29 3/4"	4	Universal

ACCESSORIES

TRACKS

TRACKS

Our R-series of tracks are a simple yet powerful addition to your vehicle. These aluminum tracks allow your vehicle to become a hub for roof mounted accessories - namely Vantech USA racks! These tracks may or may not require drilling depending on vehicle. Stainless steel hardware and gaskets are included. Vehicles with no access to the interior can use our Plus-Nut kit (D197, D198).



PART #	Color	Material	Description	Fitment	Dim1	Figure	Install
D197	Silver	Zinc	Plus Nut Kit	R15*	n/a	a, b	Drilling Req
D198	Silver	Zinc	Plus Nut Kit	R20, R21, R30*	n/a	a, b	Drilling Req
R15	Silver	Aluminum	Roof Tracks	Universal	72"	c, d	Drilling Req
R20	Silver	Aluminum	Roof Tracks	Mercedes Sprinter 2007-on (144" WB All trims)	122"	c, d	Bolt-on
R21	Silver	Aluminum	Roof Tracks	Mercedes Sprinter 2007-on High Roof (170" WB All trims)	162"	c, d	Bolt-on
R30	Silver	Aluminum	Roof Tracks	Mercedes Sprinter 2007-on High Roof (170" WB EXT All trims)	177"	c, d	Bolt-on
T210163913B	Black	Aluminum	Bedrail Tracks	Honda Ridgeline 2008-2016 Bedrail Tracks	See page 54		Bolt-on

*Vehicles with no access to the interior can use our Plus-Nut kit

TERMS & CONDITIONS

Installation of all Vantech USA products should only be performed by licensed professionals experienced in the proper operations of the products. It is the responsibility of the installer to determine the suitability of the component for that application. It is both the buyer and installer's responsibility to know the weight capacity and limitations of the vehicle before installing. Check your local and state law regarding legal height, width, length, and weight restrictions prior to install or purchase.

WARRANTY

Most Vantech USA, Inc products are warranted for 5 years against all defects, workmanship, and structural materials, provided that they are installed, assembled, and used in accordance with all manufacturer's specifications and instructions. Powder coated and anodized items are not warranted against rust and fading. Products must be registered to qualify for warranty claims. Warranty forms should be mailed to:

Product Warranty
150 New HWY
Amityville, N.Y. 11701

To obtain a copy of the warranty form, send an email to support@vantech.us. Non-registered warranty claims are accepted within 30 days from the purchase date (proof of purchase necessary).

EXCEPTIONS:

90-day limited warranty: cross bars, mirrors, kayak carrier, bar guards and gaskets.

2-year limited warranty: ladder stoppers, guides, side support, zinc hardware, ratchet tie down, and hook & loop straps.

Merchandise must be returned in the original box with original packaging or in similar manner to prevent damage.

SHIPPING

Individual packages are shipped via Fedex, UPS or USPS depending on size and destination. Bulk orders or items exceeding Fedex, UPS or USPS limits will be shipped via truck freight. HI, AK, PR and international customers should call for a shipping quote. Please allow 24-48 hours for processing time. Prepaid pick-ups and 3rd party shipping are permitted. Additional costs may apply. Please call us for details. Rush deliveries must be ordered prior to 12:00PM EST. Certain items cannot be shipped to P.O. boxes; please call prior to purchasing.

Fedex Money-Back Guarantee Express® services applies to most OVERNIGHT shipping methods. Some express services do not qualify. Shipping costs are non-refundable if the expected delivery date is not met due to the carrier's delay.

CLAIMS FOR SHIPPING DAMAGES & MISSING PACKAGES

Product(s) that are damaged during transport must be reported to the shipping carrier within 24 hours after receiving delivery, otherwise customer will be held liable for all damages acquired through shipping. Please inspect all packages thoroughly before signing acceptance of shipment. A written statement of product condition and picture(s) must be submitted to sales@vantech.us to start claim. Failures to do so will result in loss of time and claim. Claim process may take 1-4 weeks depending on shipping carrier.

Packages showing "delivered" but missing need to be reported within 48 hours of the package delivery notice so that the carrier can be notified and an investigation can begin. Investigation can take 5-7 business days to be completed. Refund and replacement will depend on the outcome of the carrier's investigation.

MISSING COMPONENTS OR REPLACEMENT FOR DEFECTIVE COMPONENTS

Orders with missing components or contain parts that are defective must be reported to Vantech USA within 30 days from receipt of the package.

RETURN POLICY

Unused merchandise may be returned in the original condition & packaging with all labels, hardware, instructions. Used or installed items are not acceptable for return. All returns must be accompanied by a RGA # and a copy of the original receipt. The RGA # must be issued within 30 days from the date of delivery. Products with or without RGA # cannot be returned after 30 days from date of delivery. To obtain a RGA # e-mail support@vantech.us titled "Return item unused" with your invoice number and reason attached. Special order items are not accepted for returns or refunds. Any items returned freight collect will be refused and returned at shipper's expense. All returns are subjected to a 15% restocking/return fee. Items shipped during promo "free shipping" customer will be subject to a 25% restocking/return fee. Customer pays all shipping and handling charge going to and from destination. Once the item has been examined and the reason of return is verified, a refund will be issued in the original form of payment the purchase was made. See "Returning an Order" below on how to properly return an item.

CANCELING AN ORDER

You may cancel an order at any time prior to processing at our center by calling 631-486-9303. Orders cannot be canceled once they are shipped. Please refer to our Returns Policy for returns. Special order item(s) can not be canceled once an order number has been provided.

PICK-UPS

Pick-ups are available Monday-Friday, 9:00AM-4:00PM EST and by appointment only. Please allow 2 hours from the time of purchase for processing. A copy of sales receipt must be present at the time of pick-up. Applicable sales tax apply for all retail orders. Dealer accounts welcome; please call us to set up an account prior to ordering.

RETURNING AN ORDER

Items should be packed securely in the original box and packaging, or in a similar manner to prevent damage. Packages will be inspected thoroughly for damages upon return. Please keep record of the tracking number and ensure the RGA# is noted on the box. If the RGA# is not visible, package will be refused and the customer is liable for all shipping and fees associated.

-This publication is designed and produced by Vantech USA Incorporated solely for informational purposes only. Every effort has been made to offer the most current, correct, and clearly expressed information possible. Nevertheless, inadvertent errors in information may occur. Prices contained herein are valid at the time of publication and are subject to change without notice. Photographs and diagrams are for illustration purposes only and do not imply or warranty in any manner the product's usage for the scenario contained in such photograph. Product specifications and capacity rating must be followed stated in its manual. Vantech USA Incorporated is not responsible for typographical errors. Vantech USA Incorporated disclaims all express and implied warranties except as set forth above "WARRANTY". User of this publication assumes all liability for, and Vantech USA Incorporated shall not in no event be liable for, any direct, indirect, punitive, special, incidental, or consequential damages, including, without limitation, lost revenues or lost profits, arising out of or in any way connected with the use or misuse of the information, or lack of information, contained herein. Vantech USA Incorporated.

